

CATALOGO TERRENI 2021					
Product Name	Code	Packaging	Shelf Life	°C	Notes
A1 MEDIUM	20848	10 glass tubes	180 days	4-8	
A1 MEDIUM	6184	Dehydrated 500 gr	3 years	8-25	
ACETAMIDE AGAR	6267	Dehydrated 500 gr	3 years	8-25	
ACETAMIDE BROTHISO 16266	20041	10 glass tubes 5 ml	90 days	4-8	
ACETAMIDE BROTH BASE ISO 16266	6193	Dehydrated 500 gr	3 years	8-25	
ACETAMIDE BROTH BASE ISO 16266 – REQUIRED SUPPLEMENT	6532	5 eppendorf x 1 lt / B Solution	90 days	4-8	
ACETAMIDE BROTH	6185	Dehydrated 500 gr	3 years	8-25	
ACETOBACTER	20395	20 plates 90 mm	180 days	4-8	
ACETOBACTER	20522	40 plates 60 mm	180 days	4-8	
ACETOBACTER	6803	Dehydrated 500 gr	3 years	8-25	
ACID BUFFER ISO 11731	20621	4 bottles 100 ml	270 days	8-25	
ACID BUFFER ISO 11731	20709	10 glass tubes 9 ml	270 days	8-25	
ACID BUFFER ISO 11731	20728	4 bottles 30 ml	270 days	8-25	
ACID BUFFER ISO 11731	20966	4 bottles 30 ml 10X	270 days	8-25	
ACID BUFFER ISO 11731	20965	4 bottles 100 ml 10X	270 days	8-25	
AEROMONAS HYDROPHILA (RYAN) UNICHIM 1039:2002	20635	20 plates 90 mm	180 days	4-8	
AEROMONAS AGAR BASE (RYAN) UNICHIM 1039:2002	6269	Dehydrated 500 gr	3 years	8-25	
AEROMONAS AGAR BASE (RYAN) UNICHIM 1039:2002 – REQUIRED SUPPLEMENT	6331	10 vials x 500 ml / AMPICILLIN	3 years	4-8	
AGAR, EUROPEAN BACTERIOLOGICAL	6401	Dehydrated 500 gr	3 years	8-25	
ARGININA DECARBOSSILASI BROTH	1875	20 polystyrene tubes		240 4-8	
AZIDE DEXTROSE BROTH (WHO-APHA)	1156	10 glass tubes	270 days	8-25	
AZIDE DEXTROSE BROTH (WHO-APHA)	20667	10 glass tubes 9 ml	270 days	8-25	
AZIDE DEXTROSE BROTH (WHO-APHA)	6621	Dehydrated 500 gr	3 years	8-25	
AZIDE DEXTROSE BROTH 2X (WHO-APHA)	21198	10 glass tubes	270 days	8-25	
BACILLUS CEREUS SELECTIVE (PEMBA) ISO 21871 ISTISAN 96/35	1087	20 plates 90 mm	180 days	4-8	
BACILLUS CEREUS SELECTIVE (PEMBA) ISO 21871 ISTISAN 96/35	4087	40 contact	180 days	4-8	
BACILLUS CEREUS SELECTIVE (PEMBA) ISO 21871 ISTISAN 96/35	2287	40 plates 60 mm	180 days	4-8	
BACILLUS CEREUS (PEMBA) AGAR BASE ISO 21871 ISTISAN 96/35	6718	Dehydrated 500 gr	3 years	8-25	
BACILLUS CEREUS (PEMBA) AGAR BASE ISO 21871 ISTISAN 96/35 – REQUIRED SUPPLEMENT	6304	1 x 100 ml / EGG YOLK EMULSION	180 days	4-8	
BACILLUS CEREUS (PEMBA) AGAR BASE ISO 21871 ISTISAN 96/35 – REQUIRED SUPPLEMENT	6315	10 vials x 500 ml / BACILLUS CEREUS SUPPLEMENT	3 years	4-8	
BACILLUS CEREUS SELECTIVE (MYP) ISO 7932	20557	20 plates 90 mm	180 days	4-8	
BACILLUS CEREUS SELECTIVE (MYP) ISO 7932	20605	40 contact	180 days	4-8	
BACILLUS CEREUS (MYP) AGAR BASE ISO 7932	6187	Dehydrated 500 gr	3 years	8-25	
BACILLUS CEREUS (MYP) AGAR BASE ISO 7932 – REQUIRED SUPPLEMENT	6304	1 x 100 ml / EGG YOLK EMULSION	180 days	4-8	
BACILLUS CEREUS (MYP) AGAR BASE ISO 7932 – REQUIRED SUPPLEMENT	6315	10 vials x 500 ml / BACILLUS CEREUS SUPPLEMENT	3 years	4-8	
BAIRD PARKER	1074	20 plates 90 mm	180 days	4-8	
BAIRD PARKER	20172	20 plates 90 mm 30 ml	180 days	4-8	
BAIRD PARKER	2274	40 plates 60 mm	180 days	4-8	
BAIRD PARKER	4074	40 contact	180 days	4-8	
BAIRD PARKER	2574	40 plates s/m	180 days	4-8	
BAIRD PARKER AGAR BASE (pH 6,8)	6003	Dehydrated 500 gr	3 years	8-25	
BAIRD PARKER AGAR BASE (pH 6,8)	20859	4 bottles 90 ml	180 days	8-25	
BAIRD PARKER AGAR BASE (pH 6,8) – REQUIRED SUPPLEMENT	6310	1 x 100 ml / EGG YOLK EMULSION + POTASSIUM T	180 days	4-8	
BAIRD PARKER AGAR BASE	6188	Dehydrated 500 gr	3 years	8-25	
BAIRD PARKER AGAR BASE	20676	4 bottles 90 ml	180 days	4-8	
BAIRD PARKER AGAR BASE – REQUIRED SUPPLEMENT (ISO 6888-1)	6310	1 x 100 ml / EGG YOLK EMULSION + POTASSIUM T	180 days	4-8	
BAIRD PARKER AGAR BASE – REQUIRED SUPPLEMENT (ISO 6888-2)	6341	10 vials x 100 ml / RPF SUPPLEMENT	2 anni	4-8	
BAIRD PARKER ISO 6888-1	20995	20 plates 90 mm	180 days	4-8	
BAIRD PARKER ISO 6888-1	20996	40 plates 60 mm	180 days	4-8	
BAIRD PARKER ISO 6888-1	20997	40 contact 55 mm	180 days	4-8	
BAIRD PARKER RPF ISO 6888-2	20202	20 plates 90 mm	180 days	4-8	
BAIRD PARKER RPF ISO 6888-2	21181	40 plates 60 mm	180 days	4-8	
BAIRD PARKER RPF ISO 6888-2	20825	40 contact 55 mm	180 days	4-8	

BCP GLUCOSE AGAR ISO 21528 e ISO 11059	20477 10 glass tubes 15 ml	180 days	8-25
BCP GLUCOSE AGAR ISO 21528 e ISO 11059	20445 4 bottles 100 ml	180 days	8-25
BCP GLUCOSE AGAR ISO 21528 e ISO 11059	20494 10 glass tubes slant 7 ml	180 days	8-25
BCP GLUCOSE AGAR ISO 21528 e ISO 11059	20744 20 plates 90 mm	180 days	8-25
BCP GLUCOSE AGAR ISO 21528 e ISO 11059	20371 40 plates 60 mm	180 days	8-25
BCP GLUCOSE AGAR ISO 21528 e ISO 11059	6190 Dehydrated 500 gr	3 years	8-25
BEEF EXTRACT	6404 Dehydrated 500 gr	3 years	8-25
BILE ESCULIN AZIDE ISO 7899 APAT IRSA 29:2003	1032 20 plates 90 mm	270 days	8-25
BILE ESCULIN AZIDE ISO 7899 APAT IRSA 29:2003	2232 40 plates 60 mm	270 days	8-25
BILE ESCULIN AZIDE ISO 7899 APAT IRSA 29:2003	1132 10 glass tubes slant	270 days	8-25
BILE ESCULIN AZIDE ISO 7899 APAT IRSA 29:2003	1832 20 polystyrene tubes	270 days	8-25
BILE ESCULIN AZIDE ISO 7899 APAT IRSA 29:2003	6005 Dehydrated 500 gr	3 years	8-25
BILE ESCULIN AZIDE UNI EN 15788	21476 20 plates 90 mm	270 days	8-25
BILE ESCULIN AZIDE UNI EN 15788	21477 40 plates 60 mm	270 days	8-25
BILE ESCULIN AZIDE BROTH	1152 10 glass tubes	270 days	8-25
BILE ESCULIN AZIDE BROTH	1852 20 polystyrene tubes	270 days	8-25
BILE ESCULIN AZIDE BROTH	6273 Dehydrated 500 gr	3 years	8-25
BLOOD AGAR BASE	6007 Dehydrated 500 gr	3 years	8-25 To use with "BLOOD, SHEEP DEBRIFINATED STERILE"
BLOOD AGAR BASE + NALIDIXIC ACID	6274 Dehydrated 500 gr	3 years	8-25 Supplement required: "BLOOD, SHEEP DEBRIFINATED STERILE"
BLOOD AGAR ISO 7932 AND 11290 AMD 2004BLOOD AGAR ISO 7932 AND 11290 AMD 2004	20343 20 plates 90 mm	90 days	4-8
BLOOD, HORSE AGAR	1022 20 plates 90 mm	90 days	4-8
BLOOD, COLUMBIA	1023 20 plates 90 mm	90 days	4-8
BLOOD, COLUMBIA 5% (EP)	20407 20 plates 90 mm	90 days	4-8
BLOOD, COLUMBIA CNA	1048 20 plates 90 mm	90 days	4-8
BLOOD, COLUMBIA CNA MOD.	1024 20 plates 90 mm	90 days	4-8
BORDET GENGOU AGAR BASE	6008 Dehydrated 500 gr	3 years	8-25 Supplement required: "BLOOD, SHEEP DEBRIFINATED STERILE"
BORDETELLA SUPPLEMENT	6302 10 vials x 500 ml	3 years	4-8
BORDETELLA PERTUSSIS	1036 20 plates 90 mm	90 days	4-8
BRAIN HEARTH AGAR	1005 20 plates 90 mm	270 days	8-25
BRAIN HEARTH AGAR	1105 10 tubes slant	270 days	8-25
BRAIN HEARTH AGAR	1805 20 polystyrene tubes slant	270 days	8-25
BRAIN HEARTH AGAR	1205 4 bottles 100 ml	270 days	8-25
BRAIN HEARTH AGAR	6009 Dehydrated 500 gr	3 years	8-25
BRAIN HEARTH BROTH ISO 6888-1	1155 10 glass tubes	270 days	8-25
BRAIN HEARTH BROTH ISO 6888-1	20014 10 glass tubes 5 ml	270 days	8-25
BRAIN HEARTH BROTH ISO 6888-1	20213 20 polystyrene tubes 2 ml	270 days	8-25
BRAIN HEARTH BROTH ISO 6888-1	1855 20 polystyrene tubes	270 days	8-25
BRAIN HEARTH BROTH ISO 6888-1	1255 4 bottles 100 ml	270 days	8-25
BRAIN HEARTH BROTH ISO 6888-1	20761 4 bottles 200 ml	270 days	8-25
BRAIN HEARTH BROTH ISO 6888-1	6010 Dehydrated 500 gr	3 years	8-25
BRILLIANT GREEN (EP)	1082 20 plates 90 mm	180 days	4-8
BRILLIANT GREEN (EP)	1282 4 bottles 100 ml	180 days	4-8
BRILLIANT GREEN (EP)	4082 40 contact 55 mm	180 days	4-8
BRILLIANT GREEN (EP)	20788 40 plates 60 mm	180 days	4-8
BRILLIANT GREEN (EP)	6245 Dehydrated 500 gr	3 years	8-25
BRILLIANT GREEN MODIFIED (ISO 6579)	1056 20 plates 90 mm	180 days	4-8
BRILLIANT GREEN MODIFIED (ISO 6579)	20276 plates10 plates 150 mm	180 days	4-8
BRILLIANT GREEN MODIFIED (ISO 6579)	1256 4 bottles 100 ml	180 days	4-8
BRILLIANT GREEN MODIFIED (ISO 6579)	6833 Dehydrated 500 gr	3 years	8-25
BRILLIANT GREEN BILE BROTH 2%	1153 10 glass tubes C	270 days	8-25
BRILLIANT GREEN BILE BROTH 2%	1253 4 bottles 100 ml	270 days	8-25
BRILLIANT GREEN BILE BROTH 2%	6224 Dehydrated 500 gr	3 years	8-25
BRILLIANT GREEN BILE BROTH 2% 2X	20170 10 glass tubes C	270 days	8-25
BRILLIANT GREEN SULFA (USDA-FSIS)	1035 20 plates 90 mm	180 days	4-8
BRILLIANT GREEN SULFA (USDA-FSIS)	1235 4 bottles 100 ml	180 days	4-8
BRILLIANT GREEN SULFA (USDA-FSIS)	6892 Dehydrated 500 gr	3 years	8-25
BRUCELLA SELECTIVE	20194 20 plates 90 mm	90 days	4-8

BRUCELLA AGAR BASE	6014 Dehydrated 500 gr	3 years	8-25	Or with "BLOOD, SHEEP DEBRIFINATED STERILE"
BRUCELLA AGAR BASE – REQUIRED SUPPLEMENT	6301 10 vials x 500 ml / BRUCELLA SUPPLEMENT	3 years	4-8	
BRUCELLA BROTH ISO 10272	20294 10 glass tubes	180 days	4-8	
BRUCELLA BROTH ISO 10272	6015 Dehydrated 500 gr	3 years	8-25	
BURKHOLDERIA CEPACIA	20211 20 plates 90 mm	180 days	4-8	
BURKHOLDERIA CEPACIA	20398 40 plates 60 mm	180 days	4-8	
BURKHOLDERIA CEPACIA AGAR BASE	20421 4 bottles 100 ml	3 years	8-25	
BURKHOLDERIA CEPACIA AGAR BASE	6285 Dehydrated 500 gr	180 days	8-25	
BURKHOLDERIA CEPACIA AGAR BASE – REQUIRED SUPPLEMENT	6332 10 vials x 500 ml / BURKHOLDERIA CEPACIA SUPPL	3 years	4-8	
CALCIUM CASEINATE AGAR	6286 Dehydrated 500 gr	3 years	4-8	
CAMPYLOBACTER BLOOD (BLASER WANG)	1058 20 plates 90 mm	90 days	4-8	
CAMPYLOBACTER COLUMBIA BLOOD ISO 10272	20293 20 plates 90 mm	90 days	4-8	
CAMPYLOBACTER AGAR BASE BLOOD FREE	6288 Dehydrated 500 gr	3 years	8-25	
CAMPYLOBACTER AGAR BASE BLOOD FREE – REQUIRED SUPPLEMENT	6333 10 vials x 500 ml / CAMPYLOBACTER BLOOD FREE	3 years	4-8	
CAMPYLOBACTER (CCDA BOLTON)	1041 20 plates 90 mm	180 days	4-8	
CAMPYLOBACTER MCCD AGAR BASE ISO 10272-1:2006	20292 20 plates 90 mm	180 days	4-8	
CAMPYLOBACTER MCCD AGAR ISO 10272-1:2006	6862 Dehydrated 500 gr	3 years	8-25	
CAMPYLOBACTER MCCD AGAR ISO 10272-1:2006 – REQUIRED SUPPLEMENT	6544 10 vials x 500 ml / CAMPYLOBACTER MCCD SUPPL	3 years	4-8	
CAMPYLOBACTER BOLTON BROTH ISO 10272-1	20296 4 bottles 225 ml	180 days	4-8	
CAMPYLOBACTER BOLTON BROTH ISO 10272-1	20389 10 glass tubes	180 days	4-8	
CAMPYLOBACTER BOLTON BROTH ISO 10272-1	20399 20 polystyrene tubes	180 days	4-8	
CAMPYLOBACTER BOLTON BROTH BASE ISO 10272-1	6864 Dehydrated 500 gr	3 years	8-25	
CAMPYLOBACTER BOLTON BROTH BASE ISO 10272-1 – REQUIRED SUPPLEMENT	6543 10 vials x 500 ml / CAMPYLOBACTER BOLTON SUPPL	3 years	4-8	
CAMPYLOBACTER BOLTON BROTH BASE ISO 10272-1 – REQUIRED SUPPLEMENT	1481 1 bottle 50 ml / BLOOD LAKED HORSE	365 days	4-8	
CAMPYLOBACTER KARMALI	20697 20 plates 90 mm	180 days	4-8	
CAMPYLOBACTER AGAR BASE KARMALI	6704 Dehydrated 500 gr	3 years	8-25	
CAMPYLOBACTER AGAR BASE KARMALI – REQUIRED SUPPLEMENT	6500 10 vials x 500 ml / CAMPYLOBACTER KARMALI SUI	2 anni	4-8	
CAMPYLOBACTER PRESTON ISO 10272	20297 20 plates 90 mm	180 days	4-8	
CAMPYLOBACTER PRESTON AGAR BASE ISO 10272	6287 Dehydrated 500 gr	3 years	8-25	
CAMPYLOBACTER PRESTON AGAR BASE ISO 10272 – REQUIRED SUPPLEMENT	6391 10 vials x 500 ml / CAMPYLOBACTER PRESTON SUI	3 years	4-8	
CAMPYLOBACTER PRESTON AGAR BASE ISO 10272 – REQUIRED SUPPLEMENT	1481 1 bottle 50 ml / BLOOD LAKED HORSE	365 days	4-8	
CAMPYLOBACTER PRESTON BROTH ISO 10272	20181 4 bottles 100 ml	180 days	4-8	
CAMPYLOBACTER PRESTON BROTH ISO 10272	20699 10 glass tubes 9 ml	180 days	4-8	
CARBOHYDRATE FERMENTATION BROTH BASE ISO 11290	6776 Dehydrated 500 gr	3 years	8-25	
CETRIMIDE AGAR BASE (EP)	6079 Dehydrated 500 gr	3 years	8-25	
CETRIMIDE AGAR BASE (EP) – REQUIRED SUPPLEMENT	6316 1 x 1 lt / GLYCEROL	3 years	8-25	
CHRISTENSEN CITRATE AGAR	6726 Dehydrated 500 gr	3 years	8-25	
CHRISTENSEN CITRATE AGAR MODIFIED	6728 Dehydrated 500 gr	3 years	8-25	
C.L.E.D.	1003 20 plates 90 mm	270 days	4-8	
C.L.E.D.	1203 4 bottles 100 ml	270 days	4-8	
C.L.E.D.	6018 Dehydrated 500 gr	3 years	4-8	
CLOSTRIDIUM BOTULINUM AGAR BASE	6705 Dehydrated 500 gr	3 years	8-25	
CLOSTRIDIUM BOTULINUM AGAR BASE – REQUIRED SUPPLEMENT	6501 10 vials x 500 ml / CLOSTRIDIUM BOTULINUM SUPPL	2 anni	4-8	
CLOSTRIDIUM PERFRINGENS AGAR BASE (M-CP)	6019 Dehydrated 500 gr	3 years	8-25	
CLOSTRIDIUM PERFRINGENS AGAR BASE (M-CP) – REQUIRED SUPPLEMENT	6392 10 vials x 500 ml / M-CP SUPPLEMENT 1	3 years	4-8	
CLOSTRIDIUM PERFRINGENS AGAR BASE (M-CP) – REQUIRED SUPPLEMENT	6393 10 vials x 500 ml / M-CP SUPPLEMENT 2	3 years	4-8	
CLOSTRIDIUM PERFRINGENS AGAR BASE (M-CP) – REQUIRED SUPPLEMENT	6303 10 vials x 500 ml / CLOSTRIDIUM PERFRINGENS SUI	3 years	4-8	
COLUMBIA AGAR BASE (EP)	1246 4 bottles 100 ml	270 days	8-25	Supplement required: all the products present in "ANIMAL BLOOD AND DERIVATES"
COLUMBIA AGAR BASE (EP)	6022 Dehydrated 500 gr	3 years	8-25	Supplement required: all the products present in "ANIMAL BLOOD AND DERIVATES"
COLUMBIA CNA AGAR BASE	6021 Dehydrated 500 gr	3 years	8-25	Supplement required: all the products present in "ANIMAL BLOOD AND DERIVATES"
COLUMBIA HORSE BLOOD OVERLAY (USDA/FSIS)	1042 20 plates 90 mm	30 days	4-8	
CORNMEAL AGAR + TWEEN 80 1% ISO 18416	20882 20 plates 90 mm	180 days	4-8	
COUNT AGAR SUGAR FREE	20778 20 plates 90 mm	270 days	4-8	
COUNT AGAR SUGAR FREE	20162 4 bottles 100 ml	270 days	4-8	
COUNT AGAR SUGAR FREE	6808 Dehydrated 500 gr	3 years	4-8	
CHROMOGENIC C-EC II (COLIFORMS IRSA 29:2003 7030 METHOD E) LONG EXPIRATION DATE	20607 20 plates 90 mm	60 days	4-8	
CHROMOGENIC C-EC II (COLIFORMS IRSA 29:2003 7030 METHOD E) LONG EXPIRATION DATE	20501 40 plates 60 mm	60 days	4-8	

CHROMOGENIC C-EC II (COLIFORMS IRSA 29:2003 7030 METHOD E) LONG EXPIRATION DATE	20608 40 contact 55 mm	60 days	4-8
CHROMOGENIC C-EC II (COLIFORMS IRSA 29:2003 7030 METHOD E) LONG EXPIRATION DATE	20541 4 bottles 100 ml	60 days	4-8
CHROMOGENIC C-EC II (COLIFORMS IRSA 29:2003 7030 METHOD E) LONG EXPIRATION DATE	6740 Dehydrated 500 gr	2 anni	4-8
CHROMOGENIC COLIFORMS IRSA 29:2003 7010 C, 7020 B, 7030 C - LONG EXPIRATION DATE	1095 20 plates 90 mm	60 days	4-8
CHROMOGENIC COLIFORMS IRSA 29:2003 7010 C, 7020 B, 7030 C - LONG EXPIRATION DATE	2295 40 plates 60 mm	60 days	4-8
CHROMOGENIC COLIFORMS IRSA 29:2003 7010 C, 7020 B, 7030 C - LONG EXPIRATION DATE	4095 40 contact 55 mm	60 days	4-8
CHROMOGENIC COLIFORMS IRSA 29:2003 7010 C, 7020 B, 7030 C - LONG EXPIRATION DATE	1295 4 bottles 100 ml	60 days	4-8
CHROMOGENIC COLIFORMS IRSA 29:2003 7010 C, 7020 B, 7030 C - LONG EXPIRATION DATE	6778 Dehydrated 500 gr	2 anni	4-8
CHROMOGENIC COLIFORMS (CCA) ISO 9308-1:2014	21389 20 plates 90 mm	60 days	4-8
CHROMOGENIC COLIFORMS (CCA) ISO 9308-1:2014	21390 40 plates 60 mm	60 days	4-8
CHROMOGENIC COLIFORMS (CCA) ISO 9308-1:2014	21446 4 bottles 100 ml	60 days	4-8
CHROMOGENIC COLIFORMS (CCA) ISO 9308-1:2014	6922 Dehydrated 500 gr	2 anni	4-8
CHROMOGENIC E. COLI-COLIFORMS - LONG EXPIRATION DATE	1097 20 plates 90 mm	60 days	4-8
CHROMOGENIC E. COLI-COLIFORMS - LONG EXPIRATION DATE	2297 40 plates 60 mm	60 days	4-8
CHROMOGENIC E. COLI-COLIFORMS - LONG EXPIRATION DATE	4097 40 contact 55 mm	60 days	4-8
CHROMOGENIC E. COLI-COLIFORMS - LONG EXPIRATION DATE	1297 4 bottles 100 ml	60 days	4-8
CHROMOGENIC E. COLI-COLIFORMS - LONG EXPIRATION DATE	20138 10 tubes 15 ml	60 days	4-8
CHROMOGENIC E. COLI-COLIFORMS - LONG EXPIRATION DATE	6232 Dehydrated 500 gr	2 anni	4-8
CHROMOGENIC E. COLI X-GLUC. IRSA 29.2003 7030 METHOD D - LONG EXPIRATION DATE	1099 20 plates 90 mm	150 days	4-8
CHROMOGENIC E. COLI X-GLUC. IRSA 29.2003 7030 METHOD D - LONG EXPIRATION DATE	2299 40 plates 60 mm	150 days	4-8
CHROMOGENIC E. COLI X-GLUC. IRSA 29.2003 7030 METHOD D - LONG EXPIRATION DATE	4099 40 contact 55 mm	150 days	4-8
CHROMOGENIC E. COLI X-GLUC. IRSA 29.2003 7030 METHOD D - LONG EXPIRATION DATE	6682 Dehydrated 500 gr	2 anni	4-8
CHROMOGENIC E. COLI TBX LONG EXPIRATION DATE ISO 16649	1090 20 plates 90 mm	150 days	4-8
CHROMOGENIC E. COLI TBX LONG EXPIRATION DATE ISO 16649	2290 40 plates 60 mm	150 days	4-8
CHROMOGENIC E. COLI TBX LONG EXPIRATION DATE ISO 16649	4090 40 contact 55 mm	150 days	4-8
CHROMOGENIC E. COLI TBX LONG EXPIRATION DATE ISO 16649	1290 4 bottles 100 ml	150 days	4-8
CHROMOGENIC E. COLI TBX LONG EXPIRATION DATE ISO 16649	20733 4 bottles 200 ml	150 days	4-8
CHROMOGENIC E. COLI TBX LONG EXPIRATION DATE ISO 16649	20157 10 glass tubes 15 ml	150 days	4-8
CHROMOGENIC E. COLI TBX AGAR BASE ISO 16649	6177 Dehydrated 500 gr	2 anni	4-8
CHROMOGENIC E. COLI TBX AGAR BASE ISO 16649 – REQUIRED SUPPLEMENT	12202 1 x 100 ml / DMSO (Dimethyl sulfoxid)	3 anni	8-25
CHROMOGENIC LISTERIA LONG EXPIRATION DATE ISO 11290:2004	1051 20 plates 90 mm	120 days	4-8
CHROMOGENIC LISTERIA LONG EXPIRATION DATE ISO 11290:2004	1351 10 plates 150 mm	120 days	4-8
CHROMOGENIC LISTERIA LONG EXPIRATION DATE ISO 11290:2004	4051 40 contact 55 mm	120 days	4-8
CHROMOGENIC LISTERIA AGAR BASE ISO 11290:2004	6181 Dehydrated 500 gr	2 anni	4-8
CHROMOGENIC LISTERIA AGAR BASE ISO 11290:2004 – REQUIRED SUPPLEMENT	6326 10 vials x 500 ml / CHROMOGENIC LISTERIA SUPPI	3 years	4-8
CHROMOGENIC LISTERIA AGAR BASE ISO 11290:2004 – REQUIRED SUPPLEMENT	6335 10 vials x 500 ml / LISTERIA LIPASI C SUPPLEMENT	3 years	4-8
DE-NEUTRALIZING AGAR	20953 20 plates 90 mm	180 days	4-8
DE-NEUTRALIZING BROTH ISO 18416	20227 4 bottles 250 ml	180 days	4-8
DE-NEUTRALIZING BROTH ISO 18416	20609 4 bottles 100 ml	180 days	4-8
DE-NEUTRALIZING BROTH ISO 18416	20610 10 glass tubes	180 days	4-8
DE-NEUTRALIZING BROTH ISO 18416	21216 20 polystyrene tubes	180 days	4-8
DE-NEUTRALIZING BROTH BASE ISO 18416	6908 Dehydrated 500 gr	3 years	8-25
DE-NEUTRALIZING BROTH BASE ISO 18416 – REQUIRED SUPPLEMENT	20004 1 x 100 ml / TWEEN 80	-	4-8
DERMATOPHYTES	1094 20 plates 90 mm	180 days	4-8
DERMATOPHYTES	2294 40 plates 60 mm	180 days	4-8
DERMATOPHYTES	3294 10 tubi	180 days	4-8
DEOXYCHOLATE	1006 20 plates 90 mm	210 days	8-25
DEOXYCHOLATE	6025 Dehydrated 500 gr	3 years	8-25
DEOXYCHOLATE CITRATE (EP)	1057 20 plates 90 mm	210 days	8-25
DEOXYCHOLATE CITRATE (EP)	6026 Dehydrated 500 gr	3 years	8-25
DEOXYCHOLATE LACTOSE	20139 20 plates 90 mm	210 days	8-25
DEOXYCHOLATE LACTOSE	6027 Dehydrated 500 gr	3 years	8-25
DEXTROSE	6406 500 gr	3 years	8-25
DEXTROSE AGAR	6028 Dehydrated 500 gr	3 years	8-25
DEXTROSE TRYPTONE AGAR	20284 20 plates 90 mm	180 days	8-25
DEXTROSE TRYPTONE AGAR	20350 4 bottles 100 ml	180 days	8-25
DEXTROSE TRYPTONE AGAR	6228 Dehydrated 500 gr	3 years	8-25

DEXTROSE TRYPTONE BROTH	20750	4 bottles 100 ml	180 days	8-25
DEXTROSE TRYPTONE BROTH	6779	Dehydrated 500 gr	3 years	8-25
DG 18 ISO 21527	20617	20 plates 90 mm	180 days	4-8
DG 18 ISO 21527	20754	4 bottles 100 ml	180 days	4-8
DG 18 ISO 21527	21278	10 tubes 15 ml	180 days	4-5
DG 18 AGAR BASE ISO 21527	6781	Dehydrated 500 gr	3 years	4-8
DG 18 AGAR BASE ISO 21527 – REQUIRED SUPPLEMENT	6316	1 x 1 lt / GLYCEROL	3 years	4-8
EC BROTH ISO 7251	1116 A	10 glass tubes C	180 days	4-8
EC BROTH ISO 7251	20312	4 bottles 100 ml	180 days	4-8
EC BROTH ISO 7251	6246	Dehydrated 500 gr	3 years	8-25
EC BROTH + MUG	20686	4 bottles 100 ml	150 days	4-8
EDWARD MEDIUM	20260	20 plates 90 mm	90 days	4-8
EDWARD MEDIUM AGAR BASE	6665	Dehydrated 500 gr	3 years	8-25 Supplement required: "BLOOD, SHEEP DEBRIFINATED STERILE"
EE MOSSEL BROTH (EP)	20167	10 glass tubes C	210 days	4-8
EE MOSSEL BROTH (EP)	20702	10 glass tubes 2X C	210 days	4-8
EE MOSSEL BROTH (EP)	123	4 bottles 100 ml	210 days	4-8
EE MOSSEL BROTH (EP)	21567	4 bottles 100 ml TP	210 days	4-8
EE MOSSEL BROTH (EP)	6207	Dehydrated 500 gr	3 years	8-25
EE MOSSEL BROTH ISO 7402 E 8523	20969	10 glass tubes C	210 days	4-8
EE MOSSEL BROTH ISO 7402 E 8523	20970	10 glass tubes 2X C	210 days	4-8
EE MOSSEL BROTH ISO 7402 E 8523	20971	4 bottles 100 ml	210 days	4-8
EE MOSSEL BROTH ISO 7402 E 8523	6913	Dehydrated 500 gr	3 years	8-25
EMB (EOSIN METHYLENE BLUE)	1007 A	20 plates 90 mm	210 days	8-25
EMB (EOSIN METHYLENE BLUE)	1207 A	4 bottles 100 ml	210 days	8-25
EMB (EOSIN METHYLENE BLUE)	6031	Dehydrated 500 gr	3 years	8-25
EMB (EOSIN METHYLENE BLUE) LEVINE	1007	20 plates 90 mm	210 days	4-8
EMB (EOSIN METHYLENE BLUE) LEVINE	1207	4 bottles 100 ml	210 days	4-8
EMB (EOSIN METHYLENE BLUE) LEVINE	6032	Dehydrated 500 gr	3 years	8-25
ENRICHED CHOCOLATE	1001	20 plates 90 mm	270 days	4-8
ENRICHED CHOCOLATE + BACITRACIN	1002	20 plates 90 mm	210 days	4-8
ESCULINE IRON AGAR (E.I.A.)	2200	40 plates 60 mm	180 days	4-8
ETHYLVIOLET AZIDE BROTH (E.V.A.)	1151	10 glass tubes	180 days	8-25
ETHYLVIOLET AZIDE BROTH (E.V.A.)	6035	Dehydrated 500 gr	3 years	8-25
EUGON LT 100 AGAR	20568	4 bottles 100 ml	180 days	4-8
EUGON LT 100 AGAR BASE	6975	Dehydrated 500 gr	3 years	4-8
EUGON LT 100 AGAR BASE – REQUIRED SUPPLEMENT	6563	1 bottle 100 ml / OCTOXINOL 9	3 years	4-8
EUGON LT 100 AGAR BASE – REQUIRED SUPPLEMENT	20004	1 bottle 100 ml / TWEEN 80	-	4-8
EUGON LT 100 BROTH ISO 18416 E 21149	20567	4 bottles 100 ml	180 days	4-8
EUGON LT 100 BROTH ISO 18416 E 21149	20869	10 glass tubes 9 ml	180 days	4-8
EUGON LT 100 BROTH ISO 18416 E 21149	21209	4 bottles 1000 ml	180 days	4-8
EUGON LT 100 BROTH ISO 18416 E 21149	21210	2 bags 3 lt	180 days	4-8
EUGON LT 100 BROTH BASE ISO 18416 E 21149	6945	Dehydrated 500 gr	3 years	4-8
EUGON LT 100 BROTH BASE ISO 18416 E 21149 – REQUIRED SUPPLEMENT	6563	1 bottle 100 ml / OCTOXINOL 9	3 years	4-8
EUGON LT 100 BROTH BASE ISO 18416 E 21149 – REQUIRED SUPPLEMENT	20004	1 bottle 100 ml / TWEEN 80	-	4-8
FLUID A (EP, USP)	20133	4 bottles 200 ml	180 days	4-20
FLUID A (EP, USP)	130 A	4 bottles 500 ml TP	180 days	4-20
FLUID A (EP, USP)	20091	4 bottles 100 ml TP	180 days	4-20
FLUID A (EP, USP)	20530	4 bottles 100 ml	180 days	4-20
FLUID A (EP, USP)	20498	4 bottles 500 ml	180 days	4-20
FLUID A (EP, USP)	20499	4 bottles 1000 ml	180 days	4-20
FLUID A (EP, USP)	131	4 bottles 1000 ml TP	180 days	4-20
FLUID A (EP, USP)	20827	4 bottles 300 ml TP	180 days	4-20
FLUID D (EP, USP)	20090	4 bottles 100 ml TP	180 days	4-20
FLUID D (EP, USP)	20531	4 bottles 100 ml	180 days	4-20
FLUID D (EP, USP)	21358	4 bottles 1000 ml TP	180 days	4-20
FLUID K (EP, USP)	20807	4 bottles 1000 ml	180 days	4-20
FLUID K (EP, USP)	21359	4 bottles 1000 ml TP	180 days	4-20

GARDNERELLA SELECTIVE	1040 20 plates 90 mm	90 days	4-8
GELATIN LACTOSE ISO 7937	20405 10 glass tubes	180 days	4-8
GELATIN LACTOSE ISO 7937	6296 Dehydrated 500 gr	3 years	8-25
GELATIN, NUTRITIVE	1053 20 plates 90 mm	210 days	4-8
GELATIN, NUTRITIVE	1171 10 glass tubes	210 days	4-8
GELATIN, NUTRITIVE	6612 Dehydrated 500 gr	3 years	4-8
GELISATO AGAR	20131 10 tubes vetro 14 ml	270 days	4-8
GELISATO AGAR	20868 4 bottles 100 ml	270 days	4-8
GIOLITTI CANTONI BROTH ISO 5944	6297 Dehydrated 500 gr	3 years	8-25
GLYCEROL BROTH	20426 20 cryotubes 2 ml	270 days	4-8
GLYCEROL BROTH	20415 4 bottles 100 ml	270 days	4-8
GLYCEROL BROTH	20782 10 tubes 9 ml	270 days	4-8
GLUCOSE BROTH	1180 10 glass tubes C	270 days	8-25
HEKTOEN ENTERIC AGAR	1008 20 plates 90 mm	210 days	8-25
HEKTOEN ENTERIC AGAR	1208 4 bottles 100 ml	210 days	8-25
HEKTOEN ENTERIC AGAR	6040 Dehydrated 500 gr	3 years	8-25
HELICOBACTER PYLORI (DENT)	1079 20 plates 90 mm	180 days	4-8
IRON SULPHITE AGAR ISO 15213	20351 4 bottles 100 ml	180 days	4-8
IRON SULPHITE AGAR ISO 15213	6911 Dehydrated 500 gr	3 years	8-25
KF STREPTOCOCCUS	1071 20 plates 90 mm	180 days	4-8
KF STREPTOCOCCUS	2271 40 plates 60 mm	180 days	4-8
KS STREPTOCOCCUS AGAR BASE	6042 Dehydrated 500 gr	3 years	8-25
KS STREPTOCOCCUS AGAR BASE – REQUIRED SUPPLEMENT	6531 10 vials x 500 ml / TTC 1 % SUPPLEMENT	3 years	4-8
KING A AGAR BASE USP	6850 Dehydrated 500 gr	3 years	8-25
KING A AGAR BASE USP – REQUIRED SUPPLEMENT	6316 1 x 1 lt / GLYCEROL	3 years	8-25
KING B (PSEUDOMONAS F) ISO 16266	3004 20 plates 90 mm	240 days	8-25
KING B (PSEUDOMONAS F) ISO 16266	20680 40 plates 60 mm	240 days	8-25
KING B (PSEUDOMONAS F) ISO 16266	20023 10 tubes 5 ml slant	240 days	8-25
KING B (PSEUDOMONAS F) ISO 16266	20285 20 polystyrene tubes slant	240 days	8-25
KING B (PSEUDOMONAS F) ISO 16266	20564 4 bottles 100 ml	240 days	8-25
KING B (PSEUDOMONAS F) AGAR BASE ISO 16266	6602 Dehydrated 500 gr	3 years	8-25
KING B MEDIUM AGAR BASE USP	6205 Dehydrated 500 gr	3 years	8-25
KING B MEDIUM AGAR BASE USP – REQUIRED SUPPLEMENT	6316 1 x 1 lt / GLYCEROL	3 years	8-25
KLIGER IRON AGAR	20783 20 plates 90 mm	270 days	8-25
KLIGER IRON AGAR	1136 10 glass tubes slant	270 days	8-25
KLIGER IRON AGAR	1836 20 polystyrene tubes slant	270 days	8-25
KLIGER IRON AGAR	6043 Dehydrated 500 gr	3 years	8-25
KLIGER IRON AGAR ISO 10273	20704 10 glass tubes slant	270 days	8-25
KLIGER IRON AGAR ISO 10273	6604 Dehydrated 500 gr	3 years	8-25
KLIGER IRON AGAR APAT MAN. 20/2003 METODO 3	21052 10 glass tubes slant	270 days	8-25
KLIGER IRON AGAR APAT MAN. 20/2003 METODO 3	21053 20 polystyrene tubes slant	270 days	8-25
LACTOSE	6408 500 gr	3 years	8-25
LACTOSE BROTH (EP) QUAD. ISSN 0390 days-6239:1983	1158 10 glass tubes C	270 days	8-25
LACTOSE BROTH (EP) QUAD. ISSN 0390 days-6239:1983	20659 10 tubes 9 ml C	270 days	8-25
LACTOSE BROTH (EP) QUAD. ISSN 0390 days-6239:1983	1258 4 bottles 100 ml	270 days	8-25
LACTOSE BROTH (EP) QUAD. ISSN 0390 days-6239:1983	6044 Dehydrated 500 gr	3 years	8-25
LACTOSE BROTH 2X	1159 10 glass tubes C	270 days	8-25
LACTOSE SULPHITE BROTH ISO 7937	121 4 bottles 100 ml	90 days	4-8
LACTOSE SULPHITE BROTH ISO 7937	20310 10 glass tubes	90 days	4-8
LACTOSE SULPHITE BROTH ISO 7937	20627 10 glass tubes 5 ml	90 days	4-8
LACTOSE SULPHITE BROTH ISO 7937	20705 10 glass tubes 9 ml	90 days	4-8
LACTOSE SULPHITE BROTH ISO 7937	20881 10 glass tubes 8 ml	90 days	4-8
LACTOSE SULPHITE BROTH BASE ISO 7937	6197 Dehydrated 500 gr	3 years	8-25
LACTOSE SULPHITE BROTH BASE ISO 7937 – REQUIRED SUPPLEMENT	6560 5 + 5 fiale x 500 ml / LACTOSE SUPHITE BROTH SUI	3 years	8-25
LAURIL SULFATE AGAR	6046 Dehydrated 500 gr	3 years	8-25
LAURIL SULFATE BROTH (LTB)	1134 10 glass tubes C	180 days	8-25
LAURIL SULFATE BROTH (LTB)	20257 4 bottles 100 ml	180 days	8-25

LAURIL SULFATE BROTH (LTB)	6045	Dehydrated 500 gr	3 years	8-25
LAURIL SULFATE BROTH 2X	20615	10 glass tubes C	180 days	8-25
LAURIL SULFATE BROTH MODIFIED ISO 22964	20191	10 glass tubes C	180 days	4-8
LAURIL SULFATE BROTH MODIFIED ISO 22964	20708	4 bottles 225 ml	180 days	4-8
LAURIL SULFATE BROTH MODIFIED 2X ISO 22964	20707	10 glass tubes C	60 days	4-8
LB AGAR (LENNOX)	6278	Dehydrated 500 gr	3 years	8-25
LB BROTH (LENNOX)	6279	Dehydrated 500 gr	3 years	8-25
LEGIONELLA SELECTIVE GVPC ISO 11731	1077	20 plates 90 mm	180 days	4-8
LEGIONELLA SELECTIVE GVPC ISO 11731	4077	40 contact 55 mm	180 days	4-8
LEGIONELLA SELECTIVE GVPC ISO 11731	2277	40 plates 60 mm	180 days	4-8
LEGIONELLA SELECTIVE GVPC ISO 11731	20200	40 contact s/m	180 days	4-8
LEGIONELLA (BCYE) ISO 11731	20500	20 plates 90 mm	180 days	4-8
LEGIONELLA (BCYE) ISO 11731	20613	40 plates 60 mm	180 days	4-8
LEGIONELLA (BCYE) ISO 11731	20413	40 contact 55 mm	180 days	4-8
LEGIONELLA (BCYE WITHOUT CYSTEINE) ISO 11731	20281	20 plates 90 mm	180 days	4-8
LEGIONELLA (BCYE WITHOUT CYSTEINE) ISO 11731	20611	40 plates 60 mm	180 days	4-8
LEGIONELLA (BCYE WITHOUT CYSTEINE) ISO 11731	20618	40 contact 55 mm	180 days	4-8
LEGIONELLA AGAR BASE ISO 11731	6650	Dehydrated 500 gr	3 years	8-25
LEGIONELLA AGAR BASE ISO 11731 – REQUIRED SUPPLEMENT	6382	10 vials x 100 ml / LEGIONELLA CYE GROWTH SUPI	3 years	8-25
LEGIONELLA AGAR BASE ISO 11731 – REQUIRED SUPPLEMENT	6395	10 vials x 500 ml / LEGIONELLA GVPC SUPPLEMEN	3 years	8-25
LETHEEN AGAR BASE MODIFIED	6605	Dehydrated 500 gr	3 years	8-25
LETHEEN AGAR BASE MODIFIED – REQUIRED SUPPLEMENT	20004	1 x 100 ml / TWEEN 80	-	4-8
LETHEEN BROTH BASE MODIFIED ISO 18416	6606	Dehydrated 500 gr	3 years	8-25
LETHEEN BROTH BASE MODIFIED ISO 18416 – REQUIRED SUPPLEMENT	20004	1 x 100 ml / TWEEN 80	-	4-8
LETHEEN MODIFIED BROTH ISO 18416	20182	10 glass tubes 9 ml	180 days	8-25
LETHEEN MODIFIED BROTH ISO 18416	20601	10 glass tubes	180 days	8-25
LETHEEN MODIFIED BROTH ISO 18416	13	4 bottles 100 ml	180 days	8-25
LISTERIA BUFFERED ENRICHMENT BROTH	21015	10 glass tubes	120 days	4-8
LISTERIA BUFFERED ENRICHMENT BROTH	21015,5	50 glass tubes	120 days	4-8
LISTERIA BUFFERED ENRICHMENT BROTH	1259 A	4 bottles 225 ml	120 days	4-8
LISTERIA BUFFERED ENRICHMENT BROTH	20987	2 bags 3 lt	120 days	4-8
LISTERIA BUFFERED ENRICHMENT BROTH	20988	2 bags 5 lt	120 days	4-8
LISTERIA BUFFERED ENRICHMENT BROTH	6231	Dehydrated 500 gr	3 years	8-25
LISTERIA ENRICHMENT BROTH FDA	6783	Dehydrated 500 gr	3 years	8-25
LISTERIA FRASER BROTH ISO 11290	1102	10 glass tubes	120 days	4-8
LISTERIA FRASER BROTH ISO 11290	1202	4 bottles 100 ml	120 days	4-8
LISTERIA FRASER BROTH ISO 11290	20210	4 bottles 225 ml	120 days	4-8
LISTERIA FRASER BROTH ISO 11290	20846	2 bags 3 lt	120 days	4-8
LISTERIA FRASER BROTH ISO 11290	21000	2 bags 5 lt	120 days	4-8
LISTERIA FRASER BROTH HALF CONCENTRATION ISO 11290	1102 A	10 glass tubes	120 days	4-8
LISTERIA FRASER BROTH HALF CONCENTRATION ISO 11290	1202 A	4 bottles 100 ml	120 days	4-8
LISTERIA FRASER BROTH HALF CONCENTRATION ISO 11290	20204	4 bottles 225 ml	120 days	4-8
LISTERIA FRASER BROTH HALF CONCENTRATION ISO 11290	20820	4 bottles 250 ml	120 days	4-8
LISTERIA FRASER BROTH HALF CONCENTRATION ISO 11290	20900	2 bags 3 lt	120 days	4-8
LISTERIA FRASER BROTH HALF CONCENTRATION ISO 11290	20901	2 bags 5 lt	120 days	4-8
LISTERIA FRASER HALF CONCENTRATION WITHOUT FERRIC AMMONIUM CITRATE	21325	4 bottles 225 ml	120 days	4-8 NEW!!
LISTERIA FRASER HALF CONCENTRATION WITHOUT FERRIC AMMONIUM CITRATE	21328	10 tubes 10 ml	120 days	4-8
LISTERIA FRASER HALF CONCENTRATION WITHOUT FERRIC AMMONIUM CITRATE	21384	2 bags 3 lt	120 days	4-8
LISTERIA FRASER HALF CONCENTRATION WITHOUT FERRIC AMMONIUM CITRATE	21385	2 bags 5 lt	120 days	4-8
LISTERIA FRASER BROTH BASE ISO 11290	6047	Dehydrated 500 gr	3 years	8-25
LISTERIA FRASER BROTH BASE ISO 11290 – TO USE WITH	6305	2 x 5 vials x 500 ml / FRASER LISTERIA SELECTIVE S	3 years	4-8
LISTERIA FRASER BROTH BASE ISO 11290 – TO USE WITH	6306	2 x 5 vials x 500 ml / HALF FRASER LISTERIA SELEC	3 years	4-8
LISTERIA OXFORD ISO 11290	1063	20 plates 90 mm	180 days	4-8
LISTERIA OXFORD ISO 11290	4063	40 contact 55 mm	180 days	4-8
LISTERIA OXFORD AGAR BASE ISO 11290	6071	Dehydrated 500 gr	3 years	8-25
LISTERIA OXFORD AGAR BASE ISO 11290 – REQUIRED SUPPLEMENT	6307	10 vials x 500 ml / OXFORD LISTERIA SELECTIVE SU	3 years	4-8
LISTERIA PALCAM ISO 11290	1062	20 plates 90 mm	180 days	4-8

LISTERIA PALCAM ISO 11290	4062	40 contact 55 mm	180 days	4-8
LISTERIA PALCAM ISO 11290	1897	20 polystyrene tubes 5 ml slant	180 days	4-8
LISTERIA PALCAM ISO 11290	1197	10 glass tubes slant	180 days	4-8
LISTERIA PALCAM AGAR BASE ISO 11290	6199	Dehydrated 500 gr	3 years	8-25
LISTERIA PALCAM AGAR BASE ISO 11290 – REQUIRED SUPPLEMENT	6308	10 vials x 500 ml / PALCAM LISTERIA SELECTIVE SU	3 years	4-8
LISTERIA SELECTIVE FAST BROTH	21382	4 bottles 225 ml	180 days	4-8 NEW!!
LISTERIA SELECTIVE FAST BROTH	21333	2 bags 3 lt	180 days	4-8 NEW!!
LISTERIA SELECTIVE FAST BROTH	21334	2 bags 5 lt	180 days	4-8 NEW!!
LISTERIA SELECTIVE FAST BROTH WITHOUT FERRIC AMMONIUM CITRATE	21335	4 bottles 225 ml	180 days	4-8 NEW!!
LISTERIA SELECTIVE FAST BROTH WITHOUT FERRIC AMMONIUM CITRATE	21355	2 bags 3 lt	180 days	4-8 NEW!!
LISTERIA SELECTIVE FAST BROTH WITHOUT FERRIC AMMONIUM CITRATE	21356	2 bags 5 lt	180 days	4-8 NEW!!
LISTERIA SELECTIVE FAST BROTH BASE	6971	Dehydrated 500 gr	3 years	8-25 NEW!!
LISTERIA SELECTIVE FAST BROTH BASE – REQUIRED SUPPLEMENT	6583	10 vials x 500 ml / FERRIC AMMONIUM CITRATE	3 years	8-25
LISTERIA UVM1 BROTH (USDA-FSIS)	1121	10 glass tubes	120 days	8-25
LISTERIA UVM1 BROTH (USDA-FSIS)	1221	4 bottles 100 ml	120 days	8-25
LISTERIA UVM1 BROTH (USDA-FSIS)	1221 A	4 bottles 225 ml	120 days	8-25
LISTERIA UVM1 BROTH (USDA-FSIS)	20893	2 bags 3 lt	120 days	8-25
LISTERIA UVM1 BROTH (USDA-FSIS)	20897	2 bags 5 lt	120 days	8-25
LISTERIA UVM1 BROTH (USDA-FSIS)	6638	Dehydrated 500 gr	3 anni	8-25
LISTERIA UVM2 BROTH (USDA-FSIS)	1122	10 glass tubes	120 days	8-25
LISTERIA UVM2 BROTH (USDA-FSIS)	1222	4 bottles 100 ml	120 days	8-25
LISTERIA UVM2 BROTH (USDA-FSIS)	20894	2 bags 3 lt	120 days	8-25
LISTERIA UVM2 BROTH (USDA-FSIS)	20898	2 bags 5 lt	120 days	8-25
LISTERIA UVM2 BROTH (USDA-FSIS)	6639	Dehydrated 500 gr	3 years	8-25
LOEFFLER	1181	10 glass tubes slant	180 days	4-8
LPT DILUTION BROTH	20452	10 glass tubes 9 ml	210 days	8-25
LPT DILUTION BROTH	1231	4 bottles 100 ml	210 days	8-25
LPT DILUTION BROTH	20523	4 bottles 200 ml	210 days	8-25
LPT DILUTION BROTH	20552	4 bottles 500 ml	210 days	8-25
LPT DILUTION BROTH BASE	6226	Dehydrated 500 gr	3 years	8-25
LPT DILUTION BROTH BASE – REQUIRED SUPPLEMENT	20004	1 x 100 ml / TWEEN 80	-	4-8
LURIA AGAR MILLER'S LB AGAR	6282	Dehydrated 500 gr	3 years	8-25
LURIA BROTH MILLER'S LB BROTH	6281	Dehydrated 500 gr	3 years	8-25
LURIA AGAR MILLER'S MODIFICATION	6280	Dehydrated 500 gr	3 years	8-25
LURIA BROTH MILLER'S MODIFICATION	6256	Dehydrated 500 gr	3 years	8-25
LYSINE DECARBOXYLASE BROTH ISO 6579	20150	10 tubes 5 ml	210 days	8-25
LYSINE DECARBOXYLASE BROTH ISO 6579	20151	4 bottles 100 ml	210 days	8-25
LYSINE DECARBOXYLASE BROTH ISO 6579	6608	Dehydrated 500 gr	3 years	8-25
M 17 AGAR (APHA)	21317	20 plates 90 mm	180 days	8-25
M 17 AGAR (APHA)	20718	10 glass tubes 14 ml	180 days	8-25
M 17 AGAR (APHA)	21318	4 bottles 100 ml	180 days	8-25
M 17 AGAR (APHA)	6050	Dehydrated 500 gr	3 years	8-25
MAC CONKEY AGAR (EP)	1011	20 plates 90 mm	240 days	8-25
MAC CONKEY AGAR (EP)	2211	40 plates 60 mm	240 days	8-25
MAC CONKEY AGAR (EP)	4011	40 contact 55 mm	240 days	8-25
MAC CONKEY AGAR (EP)	2511	40 contact s/m40 contact s/m40 contact s/m40 coi	240 days	8-25
MAC CONKEY AGAR (EP)	1211	4 bottles 100 ml	240 days	8-25
MAC CONKEY AGAR (EP)	6051	Dehydrated 500 gr	3 years	8-25
MAC CONKEY + MUG	20113	20 plates 90 mm	90 days	4-8
MAC CONKEY + SORBITOL ISO 16654	1011 A	20 plates 90 mm	240 days	8-25
MAC CONKEY + SORBITOL ISO 16654	6053	Dehydrated 500 gr	3 years	8-25
MAC CONKEY + SORBITOL ISO 16654 – REQUIRED SUPPLEMENT	6507	10 vials x 500 ml / CEFIXIME + TELLURITE SUPPLEN	3 years	4-8
MAC CONKEY + SORBITOL + POTASSIUM TELLURITE CEFIXIME ISO 16654	20508	20 plates 90 mm	180 days	4-8
MAC CONKEY BROTH (EP)	1137	10 glass tubes C	210 days	8-25
MAC CONKEY BROTH (EP)	122	4 bottles 100 ml	210 days	8-25
MAC CONKEY BROTH (EP)	122,4	40 bottles 100 ml	210 days	8-25
MAC CONKEY BROTH (EP)	21568	4 bottles 100 ml TP	210 days	8-25

MAC CONKEY BROTH (EP)	20637	4 bottles 500 ml	210 days	8-25
MAC CONKEY BROTH (EP)	20638	4 bottles 1000 ml	210 days	8-25
MAC CONKEY BROTH (EP)	6055	Dehydrated 500 gr	3 years	8-25
MAC CONKEY BROTH 2X (EP)	1137 A	10 glass tubes C	210 days	8-25
MALASSEZIA	1075	20 plates 90 mm	180 days	4-8
MALASSEZIA	2275	40 plates 60 mm	180 days	4-8
MALT EXTRACT AGAR	20022	20 plates 90 mm	180 days	8-25
MALT EXTRACT AGAR	20489	4 bottles 100 ml	180 days	8-25
MALT EXTRACT AGAR	20740	40 contact s/m	180 days	8-25
MALT EXTRACT AGAR	20021	40 contact 55 mm	180 days	8-25
MALT EXTRACT AGAR	20691	20 contact 90 mm s/m	180 days	8-25
MALT EXTRACT AGAR	6056	Dehydrated 500 gr	3 years	8-25
MALT EXTRACT BROTH	6255	Dehydrated 500 gr	3 years	8-25
MANNITOL SALT (EP)	1019	20 plates 90 mm	210 days	8-25
MANNITOL SALT (EP)	2219	40 plates 60 mm	210 days	8-25
MANNITOL SALT (EP)	4019	40 contact 55 mm	210 days	8-25
MANNITOL SALT (EP)	2519	40 contact s/m	210 days	8-25
MANNITOL SALT (EP)	1119	10 glass tubes slant	210 days	8-25
MANNITOL SALT (EP)	1219	4 bottles 100 ml	210 days	8-25
MANNITOL SALT (EP)	1219 B	4 bottles 250 ml	210 days	8-25
MANNITOL SALT (EP)	6058	Dehydrated 500 gr	3 years	8-25
MARINE AGAR	6240	Dehydrated 500 gr	3 years	8-25
MARINE BROTH	6241	Dehydrated 500 gr	3 years	8-25
M-CP	1055	20 plates 90 mm	180 days	4-8
M-CP	2255	40 plates 60 mm	180 days	4-8
M-ENDO LES ISO 9308	1084	20 plates 90 mm	120 days	4-8
M-ENDO LES ISO 9308	2284	40 plates 60 mm	120 days	4-8
M-ENDO LES ISO 9308	20558	4 bottles 100 ml	120 days	4-8
M-ENDO LES AGAR BASE ISO 9308	6642	Dehydrated 500 gr	3 years	8-25
M-ENDO LES AGAR BASE ISO 9308 – REQUIRED SUPPLEMENT	6312	25 gr / BASIC FUCHSIN	1 year	8-25
M-ENTEROCOCCUS (SLANETZ BARTLEY) ISO 7899	1098	20 plates 90 mm	180 days	4-8
M-ENTEROCOCCUS (SLANETZ BARTLEY) ISO 7899	2298	40 plates 60 mm	180 days	4-8
M-ENTEROCOCCUS (SLANETZ BARTLEY) ISO 7899	4098	40 contact	180 days	4-8
M-ENTEROCOCCUS (SLANETZ BARTLEY) ISO 7899	1298	4 bottles 100 ml	180 days	4-8
M-ENTEROCOCCUS (SLANETZ BARTLEY) AGAR BASE ISO 7899	6059	Dehydrated 500 gr	3 years	8-25
M-ENTEROCOCCUS (SLANETZ BARTLEY) AGAR BASE ISO 7899 – REQUIRED SUPPLEMENT	6531	10 vials x 500 ml / TTC 1% Supplement	3 years	4-8
M-FC	1091	20 plates 90 mm	120 days	4-8
M-FC	2291	40 plates 60 mm	120 days	4-8
M-FC (FECAL COLIFORMS AGAR BASE)	6036	Dehydrated 500 gr	3 years	8-25
M-FC (FECAL COLIFORMS AGAR BASE) – REQUIRED SUPPLEMENT	6334	10 vials x 500 ml / FECAL COLIFORMS SUPPLEMENT	3 years	8-25
MICROGRAMMA	20160	10 tubes 15 ml	270 days	8-25
MINERAL MODIFIED GLUTAMMATE AGAR ISO 16649	20377	20 plates 90 mm	180 days	4-8
MINERAL MODIFIED GLUTAMMATE AGAR ISO 16649	6693	Dehydrated 500 gr	3 years	8-25
MINERAL MODIFIED GLUTAMMATE BROTH ISO 16649	20391	10 glass tubes C	180 days	4-8
MINERAL MODIFIED GLUTAMMATE BROTH ISO 16649	6692	Dehydrated 500 gr	3 years	8-25
MINERAL MODIFIED GLUTAMMATE BROTH 2X ISO 16649	20392	10 glass tubes C	180 days	4-8
MOX AGAR (USDA-FSIS)	1065	20 plates 90 mm	180 days	4-8
MOX AGAR BASE (USDA-FSIS)	1265	4 bottles 100 ml	180 days	4-8
MOX AGAR BASE (USDA-FSIS)	6856 A	Dehydrated 500 gr	3 years	8-25
MOX AGAR BASE (USDA-FSIS) – REQUIRED SUPPLEMENT	6503	10 vials x 500 ml / MOXALACTAM SUPPLEMENT10	3 years	4-8
MRS + TWEEN 80	1083	20 plates 90 mm	180 days	4-8
MRS + TWEEN 80	1283	4 bottles 100 ml	180 days	4-8
MRS + TWEEN 80	21349	10 tubes 15 ml	180 days	4-8
MRS + TWEEN 80	20674	10 glass tubes 22 ml	180 days	4-8
MRS AGAR BASE	6060	Dehydrated 500 gr	3 years	4-8
MRS AGAR BASE – REQUIRED SUPPLEMENT	20004	1 x 100 ml / TWEEN 80	-	4-8
MRS BROTH BASE	6061	Dehydrated 500 gr	3 years	4-8

MRS BROTH BASE – REQUIRED SUPPLEMENT	20004 1 x 100 ml / TWEEN 80	-	4-8
MRS + CIPROFLOXACIN + CLINDAMYCIN	20438 20 plates 90 mm	90 days	4-8
MR-VP ISO 6579	20001 10 glass tubes 5 ml	270 days	4-8
MR-VP ISO 6579	20725 10 glass tubes 3 ml	270 days	4-8
MR-VP ISO 6579	20467 4 bottles 100 ml	270 days	4-8
MR-VP ISO 6579	6062 Dehydrated 500 gr	3 years	8-25
MUELLER HINTON	1012 20 plates 90 mm	270 days	8-25
MUELLER HINTON	1312 plates 10 plates 150 mm	270 days	8-25
MUELLER HINTON	1112 10 glass tubes 22 ml	270 days	8-25
MUELLER HINTON	1212 4 bottles 100 ml	270 days	8-25
MUELLER HINTON	6064 Dehydrated 500 gr	3 years	8-25
MUELLER HINTON BROTH	1160 10 glass tubes	270 days	8-25
MUELLER HINTON BROTH	1860 20 polystyrene tubes	270 days	8-25
MUELLER HINTON BROTH	1260 4 bottles 100 ml	270 days	8-25
MUELLER HINTON BROTH	6063 Dehydrated 500 gr	3 years	8-25
MUELLER HINTON + BLOOD	1013 20 plates 90 mm	90 days	4-8
MUELLER HINTON + BLOOD	1313 10 plates 150 mm	90 days	4-8
MUELLER KAUFFMAN BROTH	1161 10 glass tubes	90 days	4-8
MUELLER KAUFFMAN BROTH	1861 20 polystyrene tubes	90 days	4-8
MUELLER KAUFFMAN BROTH	1261 4 bottles 100 ml	90 days	4-8
MUELLER KAUFFMAN BROTH BASE	6201 Dehydrated 500 gr	3 years	8-25
MUELLER KAUFFMAN BROTH BASE – REQUIRED SUPPLEMENT	6360,1 10 vials x 500 ml / IODO-IODINE SOLUTION	90 days	4-8
MUELLER KAUFFMAN + NOVOBIOCIN 40 mg/l ISO 6579	20026 10 glass tubes	90 days	4-8
MUELLER KAUFFMAN + NOVOBIOCIN 40 mg/l ISO 6579	20657 10 glass tubes 9 ml	90 days	4-8
MUELLER KAUFFMAN + NOVOBIOCIN 40 mg/l ISO 6579	20631 20 polystyrene tubes	90 days	4-8
MUELLER KAUFFMAN + NOVOBIOCIN 40 mg/l ISO 6579	20553 4 bottles 100 ml	90 days	4-8
MUELLER KAUFFMAN + NOVOBIOCIN 40 mg/l ISO 6579	21360 4 bottles 225 ml	90 days	4-8
MUELLER KAUFFMAN + NOVOBIOCIN 40 mg/l ISO 6579	6202 Dehydrated 500 gr	3 years	8-25
MUELLER KAUFFMAN + NOVOBIOCIN 40 mg/l ISO 6579 – REQUIRED SUPPLEMENT	6360,1 10 vials x 500 ml / IODO-IODINE SOLUTION	90 days	4-8
MYCOLOGICAL AGAR	1088 20 plates 90 mm	180 days	4-8
MYCOLOGICAL AGAR	1288 4 bottles 100 ml	180 days	4-8
MYCOLOGICAL AGAR	6065 Dehydrated 500 gr	3 years	8-25
NEISSERIA SELECTIVE	1033 20 plates 90 mm	180 days	4-8
NEUTRALIZER BUFFER ISO 18593	20437 4 bottles 100 ml	180 days	4-8
NEUTRALIZER BUFFER ISO 18593	20763 10 glass tubes	180 days	4-8
NEUTRALIZER BUFFER ISO 18593 STOCK SOLUTION 10 X	20887 4 bottles 100 ml	180 days	4-8
NSA	3009 20 plates 90 mm	210 days	8-25
NUTRIENT AGAR ISO 6579	1004 20 plates 90 mm	270 days	8-25
NUTRIENT AGAR ISO 6579	1804 20 polystyrene tubes slant	270 days	8-25
NUTRIENT AGAR ISO 6579	1104 10 glass tubes slant	270 days	8-25
NUTRIENT AGAR ISO 6579	1204 4 bottles 100 ml	270 days	8-25
NUTRIENT AGAR ISO 6579	20355 4 bottles 200 ml	270 days	8-25
NUTRIENT AGAR ISO 6579	20762 4 bottles 250 ml	270 days	8-25
NUTRIENT AGAR ISO 6579	6066 Dehydrated 500 gr	3 years	8-25
NUTRIENT AGAR ISO 16266 ISTISAN 96/35	20519 20 plates 90 mm	270 days	8-25
NUTRIENT AGAR ISO 16266 ISTISAN 96/35	20993 40 plates 60 mm	270 days	8-25
NUTRIENT AGAR ISO 16266 ISTISAN 96/35	20518 4 bottles 100 ml	270 days	8-25
NUTRIENT AGAR ISO 16266 ISTISAN 96/35	6794 Dehydrated 500 gr	3 years	8-25
NUTRIENT AGAR WITH SODIUM CHLORIDE ISO 21528-1	20472 4 bottles 100 ml	270 days	8-25
NUTRIENT AGAR WITH SODIUM CHLORIDE ISO 21528-1	20719 20 plates 90 mm	270 days	8-25
NUTRIENT AGAR WITH SODIUM CHLORIDE ISO 21528-1	20473 4 bottles 200 ml	270 days	8-25
NUTRIENT AGAR WITH SODIUM CHLORIDE ISO 21528-1	6610 Dehydrated 500 gr	3 years	8-25
NUTRIENT AGAR SEMISOLID ISO 6579	20354 4 bottles 200 ml	270 days	8-25
NUTRIENT AGAR SEMISOLID ISO 6579	20353 4 bottles 100 ml	270 days	8-25
NUTRIENT AGAR SEMISOLID ISO 6579	6786 Dehydrated 500 gr	3 years	8-25
NUTRIENT BROTH	1154 10 glass tubes	270 days	8-25
NUTRIENT BROTH	1854 20 polystyrene tubes	270 days	8-25

NUTRIENT BROTH	1254	4 bottles 100 ml	270 days	8-25
NUTRIENT BROTH	6067	Dehydrated 500 gr	3 years	8-25
OGYE ISO 7954	1073	20 plates 90 mm	150 days	4-8
OGYE AGAR BASE ISO 7954	6711	Dehydrated 500 gr	3 years	8-25
OGYE AGAR BASE ISO 7954 – REQUIRED SUPPLEMENT	6515	10 vials x 500 ml / OGYE SUPPLEMENT	3 years	4-8
ORANGE SERUM AGAR	20861	20 plates 90 mm	180 days	8-25
ORANGE SERUM AGAR	20836	40 plates 60 mm	180 days	8-25
ORANGE SERUM AGAR	6940	Dehydrated 500 gr	3 years	8-25
ORANGE SERUM AGAR IFU N° 2	21168	20 plates 90 mm	180 days	8-25
OVERLAY MEDIUM ISO 4833	20441	4 bottles 150 ml	210 days	8-25
OVERLAY MEDIUM ISO 4833	20764	10 glass tubes 4 ml	210 days	8-25
PAGE SALINE ISO 11731	20145	10 glass tubes	270 days	4-8
PAGE SALINE ISO 11731	20612	4 bottles 100 ml	270 days	4-8
PAGE SALINE ISO 11731	20805	10 glass tubes 9 ml	270 days	4-8
PAGE SALINE ISO 11731	20806	4 bottles 90 ml	270 days	4-8
POTATO DEXTROSE AGAR (EP)	20192	20 plates 90 mm	210 days	8-25
POTATO DEXTROSE AGAR (EP)	20751	40 plates 60 mm	210 days	8-25
POTATO DEXTROSE AGAR (EP)	20306	4 bottles 100 ml	210 days	8-25
POTATO DEXTROSE AGAR (EP)	6078	Dehydrated 500 gr	3 years	8-25
POTATO DEXTROSE BROTH	6244	Dehydrated 500 gr	3 years	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	1047	20 plates 90 mm	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	2247	40 plates 60 mm	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	4047	40 contact 55 mm	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	2547	40 contact s/m	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	20248	20 contact 90 mm	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	1147	10 glass tubes 22 ml	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	20130	10 glass tubes 15 ml	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	1247	4 bottles 100 ml	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	20044	4 bottles 200 ml	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	20300	4 bottles 250 ml	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	20446	4 bottles 500 ml	240 days	8-25
PCA (APHA) PLATE COUNT AGAR ISO 4833	6077	Dehydrated 500 gr	3 years	8-25
PCA + LECITHIN + TWEEN 80	4047 A	40 contact 55 mm	180 days	4-8
PCA + LECITHIN + TWEEN 80	2547 A	40 contact s/m	180 days	4-8
PCA + LECITHIN + TWEEN 80	20249	20 contact 90 mm	180 days	4-8
PCA + LECITHIN + TWEEN 80 + HISTIDINE + SODIUM THIOSULFATE	4047 B	40 contact 55 mm	180 days	4-8
PCA + TTC	20345	40 plates 60 mm	180 days	4-8
PCA + TTC	20721	40 contact 55 mm	180 days	4-8
PEPTONE WATER	1150	10 glass tubes	270 days	8-25
PEPTONE WATER	20000	10 glass tubes 5 ml	270 days	8-25
PEPTONE WATER	1150,5	50 glass tubes	270 days	8-25
PEPTONE WATER	1850	20 polystyrene tubes	270 days	8-25
PEPTONE WATER	1250	4 bottles 100 ml	270 days	8-25
PEPTONE WATER	1250 Z	4 bottles 200 ml	270 days	8-25
PEPTONE WATER	1250 D	4 bottles 225 ml	270 days	8-25
PEPTONE WATER	20283	4 bottles 250 ml	270 days	8-25
PEPTONE WATER	1250 A	4 bottles 90 ml	270 days	8-25
PEPTONE WATER	20630	4 bottles 500 ml	270 days	8-25
PEPTONE WATER	20985	2 bags 3 lt	270 days	8-25
PEPTONE WATER	20986	2 bags 5 lt	270 days	8-25
PEPTONE WATER	6072	Dehydrated 500 gr	3 years	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20427	10 glass tubes	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20428	10 glass tubes 9 ml	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20428,5	50 glass tubes 9 ml	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20427,5	50 glass tubes	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20207	4 bottles 100 ml	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20207,4	40 bottles 100 ml	270 days	8-25

PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20193	4 bottles 90 ml	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20193,4	40 bottles 90 ml	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20339	4 bottles 225 ml	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20698	4 bottles 250 ml	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20734	4 bottles 200 ml	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20396	4 bottles 500 ml TP	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20203	4 bottles 500 ml	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20831	4 bottles 1000 ml	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20892	2 bags 3 lt	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	20896	2 bags 5 lt	270 days	8-25
PEPTONE WATER (MAXIMUM RECOVERY DILUENT) ISO 6887 e ISO 18416 - ISTISAN 96/35	6777	Dehydrated 500 gr	3 years	8-25
PEPTONE WATER, ALKALINE - ISTISAN 63/35	1151 A	10 glass tubes	270 days	8-25
PEPTONE WATER, ALKALINE - ISTISAN 63/35	20668	10 glass tubes 9 ml	270 days	8-25
PEPTONE WATER, ALKALINE - ISTISAN 63/35	1851 A	20 polystyrene tubes	270 days	8-25
PEPTONE WATER, ALKALINE - ISTISAN 63/35	20340	4 bottles 250 ml	270 days	8-25
PEPTONE WATER, ALKALINE - ISTISAN 63/35	6270	Dehydrated 500 gr	3 years	8-25
PEPTONE WATER, BUFFERED (USDA/FSIS)	1150 B	10 glass tubes	270 days	8-25
PEPTONE WATER, BUFFERED (USDA/FSIS)	1150 B.50	50 glass tubes	270 days	8-25
PEPTONE WATER, BUFFERED (USDA/FSIS)	20649	20 polystyrene tubes 9 ml	270 days	8-25
PEPTONE WATER, BUFFERED (USDA/FSIS)	1850 B	20 polystyrene tubes	270 days	8-25
PEPTONE WATER, BUFFERED (USDA/FSIS)	1250 B	4 bottles 100 ml	270 days	8-25
PEPTONE WATER, BUFFERED (USDA/FSIS)	20394	4 bottles 250 ml	270 days	8-25
PEPTONE WATER, BUFFERED (USDA/FSIS)	20735	4 bottles 500 ml	270 days	8-25
PEPTONE WATER, BUFFERED (USDA/FSIS)	20520	4 bottles 1000 ml	270 days	8-25
PEPTONE WATER, BUFFERED (USDA/FSIS)	6073	Dehydrated 500 gr	3 years	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20656	10 glass tubes 9 ml	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20656,5	50 glass tubes 9 ml	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20731	4 bottles 90 ml	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20731,4	40 bottles 90 ml	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20732	4 bottles 99 ml	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20732,4	40 bottles 99 ml	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20228	4 bottles 250 ml	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20229	4 bottles 500 ml	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20396	4 bottles 500 ml TP	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20470	4 bottles 225 ml	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20471	4 bottles 100 ml	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20516	4 bottles 1 lt	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20766	2 bags 3 lt	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	20899	2 bags 5 lt	270 days	8-25
PEPTONE WATER, BUFFERED ISO 6579 E ISO 6887 E ISO 22964 - ISTISAN 96/35	6687	Dehydrated 500 gr	3 years	8-25
PEPTONE WATER, BUFFERED (EP)	20036	4 bottles 100 ml	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20100	4 bottles 100 ml TP	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20008	4 bottles 90 ml	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20032	10 glass tubes	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20436	10 glass tubes 9 ml	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20032,5	50 glass tubes	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20436,5	50 glass tubes 9 ml	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20035	20 polystyrene tubes	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20163	4 bottles 200 ml	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20099	4 bottles 250 ml TP	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20990	4 bottles 300 ml	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20991	4 bottles 300 ml TP	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20760	4 bottles 500 ml	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20098	4 bottles 500 ml TP	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20435	4 bottles 1 lt	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	20960	4 bottles 1 lt TP	270 days	8-25
PEPTONE WATER, BUFFERED (EP)	6194	Dehydrated 500 gr	3 years	8-25

PEPTONE WATER, BUFFERED (EP) + LTH	20772	4 bottles 100 ml	180 days	4-8
PEPTONE WATER, BUFFERED (EP) + LTH	21058	4 bottles 90 ml	180 days	4-8
PEPTONE WATER, BUFFERED (EP) + LTH	21024	4 bottles 400 ml	180 days	4-8
PEPTONE WATER, BUFFERED (EP) + LTH	21187	4 bottles 1000 ml	180 days	4-8
POLYPEPTONE	6413	Dehydrated 500 gr	3 years	8-25
POTASSIUM PHOSPHATE BIBASIC 20 gr/l pH 7,5	21367	2 bags 3 lt	210 days	8-25
POTASSIUM PHOSPHATE BIBASIC 20 gr/l pH 7,5	21368	2 bags 5 lt	210 days	8-25
POTASSIUM PHOSPHATE MONOBASIC 20 gr/l pH 7,5	21202	2 bags 3 lt	210 days	8-25
POTASSIUM PHOSPHATE MONOBASIC 20 gr/l pH 7,5	21203	2 bags 5 lt	210 days	8-25
P.P.L.O.	20097	20 plates 90 mm	180 days	4-8
P.P.L.O. AGAR BASE	6616	Dehydrated 500 gr	3 years	8-25
P.P.L.O. AGAR BASE – REQUIRED SUPPLEMENT	1497	1 x 100 ml / HORSE SERUM	1 year	4-8
PROTOTHECA ISOLATION MEDIUM (P.I.M.)	20946	20 plates 90 mm	180 days	4-8
PROTOTHECA ISOLATION MEDIUM (P.I.M.) AGAR BASE	6904	Dehydrated 500 gr	3 years	8-25
PROTOTHECA ISOLATION MEDIUM (P.I.M.) AGAR BASE – REQUIRED SUPPLEMENT	6550	5 + 5 vials x 500 ml / PIM SUPPLEMENT	3 years	4-8
PSEUDOMONAS CN ISO 16266	20065	20 plates 90 mm	180 days	4-8
PSEUDOMONAS CN ISO 16266	127	40 plates 60 mm	180 days	4-8
PSEUDOMONAS CN ISO 16266	20037	4 bottles 100 ml	180 days	4-8
PSEUDOMONAS CN AGAR BASE ISO 16266	6204	Dehydrated 500 gr	3 years	8-25
PSEUDOMONAS CN AGAR BASE ISO 16266 – REQUIRED SUPPLEMENT	6316	1 x 1 lt / GLYCEROL	3 years	8-25
PSEUDOMONAS CFC ISO 13720	20816	20 plates 90 mm	180 days	4-8
PSEUDOMONAS CFC ISO 13720	20755	40 plates 60 mm	180 days	4-8
PSEUDOMONAS PP ISO / TS 11059	20832	20 plates 90 mm	180 days	4-8
PSEUDOMONAS AGAR BASE	6854	Dehydrated 500 gr	3 years	8-25
PSEUDOMONAS AGAR BASE – REQUIRED SUPPLEMENT	6537	10 vials x 500 ml / PSEUDOMONAS PP SUPPLEMEN	3 years	4-8
PSEUDOMONAS AGAR BASE – REQUIRED SUPPLEMENT	6520	10 vials x 500 ml / PSEUDOMONAS CFC SUPPLEME	3 years	4-8
PSEUDOMONAS SELECTIVE (EP)	1016	20 plates 90 mm	240 days	8-25
PSEUDOMONAS SELECTIVE (EP)	2216	40 plates 60 mm	240 days	8-25
PSEUDOMONAS SELECTIVE (EP)	4016	40 contact 55 mm	240 days	8-25
PSEUDOMONAS SELECTIVE (EP)	2516	40 contact s/m	240 days	8-25
PSEUDOMONAS SELECTIVE (EP)	1216	4 bottles 100 ml	240 days	8-25
R2A (EP)	1045	20 plates 90 mm	210 days	8-25
R2A (EP)	2245	40 plates 60 mm	210 days	8-25
R2A (EP)	6080	Dehydrated 500 gr	3 years	8-25
RHAMNOSE (L) BROTH ISO 11290	20208	10 glass tubes	180 days	8-25
RAPPAPORT VASSILIADIS SOY BROTH (RVS) (EP)	20308	10 glass tubes	180 days	8-25
RAPPAPORT VASSILIADIS SOY BROTH (RVS) (EP)	20307	4 bottles 100 ml	180 days	8-25
RAPPAPORT VASSILIADIS SOY BROTH (RVS) (EP)	6180	Dehydrated 500 gr	3 years	8-25
RAPPAPORT VASSILIADIS SOY BROTH ISO 6579	20416	10 glass tubes	180 days	8-25
RAPPAPORT VASSILIADIS SOY BROTH ISO 6579	20566	4 bottles 225 ml	180 days	8-25
RAPPAPORT VASSILIADIS SOY BROTH ISO 6579	20443	4 bottles 100 ml	180 days	8-25
RAPPAPORT VASSILIADIS SOY BROTH ISO 6579	20660	4 bottles 90 ml	180 days	8-25
RAPPAPORT VASSILIADIS SOY BROTH ISO 6579	6617	Dehydrated 500 gr	3 years	8-25
RAPPAPORT MODIFIED SEMISOLID (MRSV) ISO 6579	20390	4 bottles 100 ml	90 days	4-8
RAPPAPORT MODIFIED SEMISOLID (MRSV) ISO 6579	20746	10 glass tubes	90 days	4-8
RAPPAPORT MODIFIED SEMISOLID (MRSV) ISO 6579	6744	Dehydrated 500 gr	3 years	8-25
RAPPAPORT MODIFIED SEMISOLID (MRSV) ISO 6579 – REQUIRED SUPPLEMENT	6538	10 vials x 500 ml / NOVIOBIOCIN SUPPLEMENT	3 years	4-8
REINFORCED CLOSTRIDIAL AGAR	20166	4 bottles 100 ml	180 days	4-8
REINFORCED CLOSTRIDIAL AGAR	20325	20 plates 90 mm	180 days	4-8
REINFORCED CLOSTRIDIAL AGAR	6619	Dehydrated 500 gr	3 years	8-25
REINFORCED CLOSTRIDIAL MEDIUM (EP)	124	4 bottles 100 ml	180 days	4-8
REINFORCED CLOSTRIDIAL MEDIUM (EP)	6620	Dehydrated 500 gr	3 years	8-25
ROGOSA	1034	20 plates 90 mm	180 days	4-8
ROGOSA SL AGAR BASE	6179	Dehydrated 500 gr	3 years	8-25
ROSE BENGAL	1046 A	20 plates 90 mm	180 days	4-8
ROSE BENGAL	4046 A	40 contact 55 mm	180 days	4-8
ROSE BENGAL	6209	Dehydrated 500 gr	3 years	8-25

ROSE BENGAL + DICHLORAN ISO 21527	20616	20 plates 90 mm	180 days	4-8
ROSE BENGAL + DICHLORAN ISO 21527	20678	40 contact s/m	180 days	4-8
ROSE BENGAL + DICHLORAN ISO 21527	20378	4 bottles 100 ml	180 days	4-8
ROSE BENGAL + DICHLORAN ISO 21527	6623	Dehydrated 500 gr	3 years	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	1017	20 plates 90 mm	210 days	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	2217	40 plates 60 mm	210 days	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	4017	40 contact 55 mm	210 days	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	2517	40 contact s/m	210 days	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	1217	4 bottles 100 ml	210 days	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	1117	10 glass tubes slant	210 days	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	20639	4 bottles 500 ml	210 days	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	20689	20 contact 90 mm s/m	210 days	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	20770	4 bottles 200 ml	210 days	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	20640	4 bottles 1000 ml	210 days	8-25
SABOURAUD DEXTROSE AGAR (EP) ISO 18416	6081	Dehydrated 500 gr	3 years	8-25
SABOURAUD DEXTROSE UNICHIM	20385	40 contact 55 mm	210 days	8-25
SABOURAUD DEXTROSE UNICHIM	20373	40 contact s/m	210 days	8-25
SAB + CAF 50 ISO 18416	1018 A	20 plates 90 mm	180 days	4-8
SAB + CAF 50 ISO 18416	2218 A	40 plates 60 mm	180 days	4-8
SAB + CAF 50 ISO 18416	4018 A	40 contact 55 mm	180 days	4-8
SAB + CAF 50 ISO 18416	2518 A	40 contact s/m	180 days	4-8
SAB + CAF 50 ISO 18416	1218 A	4 bottles 100 ml	180 days	4-8
SAB + CAF 50 ISO 18416	6210	Dehydrated 500 gr	3 years	8-25
SAB + CAF 500	1018	20 plates 90 mm	180 days	4-8
SAB + CAF 500	2218	40 plates 60 mm	180 days	4-8
SAB + CAF 500	1218	4 bottles 100 ml	180 days	4-8
SAB + CAF 500	20826	10 glass tubes 15 ml	180 days	4-8
SAB + CAF 500	6082	Dehydrated 500 gr	3 years	8-25
SAB + CAF 50 + GENTAMICIN	1086	20 plates 90 mm	180 days	4-8
SABOURAUD + LECITHIN + TWEEN 80	4018	40 contact 55 mm	180 days	4-8
SABOURAUD + LECITHIN + TWEEN 80	20153	4 bottles 100 ml	180 days	4-8
SABOURAUD + CAF 50 + CEX	1018 C	20 plates 90 mm	180 days	4-8
SABOURAUD + CAF 50 + CEX	1180 C	10 glass tubes	180 days	4-8
SABOURAUD + CAF 50 + CEX	6083	Dehydrated 500 gr	3 years	4-8
SABOURAUD + CEX	20186	20 plates 90 mm	180 days	4-8
SABOURAUD + CEX	6258	Dehydrated 500 gr	3 years	4-8
SAB + LECITHIN + TWEEN 80 + CAF 50	4018 B	40 contact 55 mm	180 days	4-8
SABOURAUD BROTH (EP)	1163	10 glass tubes	210 days	8-25
SABOURAUD BROTH (EP)	1263	4 bottles 100 ml	210 days	8-25
SABOURAUD BROTH (EP)	1863	20 polystyrene tubes	210 days	8-25
SABOURAUD BROTH (EP)	20641	4 bottles 500 ml	210 days	8-25
SABOURAUD BROTH (EP)	20642	4 bottles 1000 ml	210 days	8-25
SABOURAUD BROTH (EP)	6084	Dehydrated 500 gr	3 years	8-25
SABOURAUD + CAF 50 BROTH	1263 A	4 bottles 100 ml	180 days	4-8
SABOURAUD + CAF 50 + GENTAMICIN BROTH	1186	10 glass tubes	180 days	4-8
SABOURAUD FLUID (USP)	1131	10 glass tubes	210 days	8-25
SABOURAUD FLUID (USP)	1831	20 polystyrene tubes	210 days	8-25
SABOURAUD FLUID (USP)	6085	Dehydrated 500 gr	3 years	8-25
SABOURAUD FLUID + TWEEN 80	1131 A	10 glass tubes	210 days	8-25
SOLUTION 0,90% NaCl	20291	10 glass tubes	270 days	8-25
SOLUTION 0,90% NaCl	20411	10 glass tubes 5 ml	270 days	8-25
SOLUTION 0,90% NaCl	20158	10 glass tubes 9 ml	270 days	8-25
SOLUTION 0,90% NaCl	20159	4 bottles 90 ml	270 days	8-25
SOLUTION 0,90% NaCl	20794	4 bottles 100 ml	270 days	8-25
SOLUTION 0,90% NaCl	20936	2 bags 3 lt	270 days	8-25
SOLUTION 0,85% NaCl ISO 6579	1185	10 glass tubes	270 days	8-25
SOLUTION 0,85% NaCl ISO 6579	1285	4 bottles 100 ml	270 days	8-25

SCHAEDLER BLOOD	1059	20 plates 90 mm	90 days	4-8
SCHAEDLER SELECTIVE BLOOD	1060	20 plates 90 mm	90 days	4-8
SCHAEDLER SELECTIVE BLOOD CNA	1060 A	20 plates 90 mm	90 days	4-8
SCHAEDLER AGAR BASE	6088	Dehydrated 500 gr	3 years	8-25
SELENITE BROTH	1164	10 glass tubes	210 days	4-8
SELENITE BROTH	1864	20 polystyrene tubes	210 days	4-8
SELENITE BROTH	20165	10 glass tubes 20 ml	210 days	4-8
SELENITE BROTH	1864	20 polystyrene tubes	210 days	4-8
SELENITE BROTH	20165	10 glass tubes 20 ml	210 days	4-8
SELENITE BROTH	1164 C	10 glass tubes 5 ml	210 days	4-8
SELENITE BROTH	1264	4 bottles 100 ml	210 days	4-8
SELENITE BROTH	20565	4 bottles 225 ml	210 days	4-8
SELENITE BROTH	6091	Dehydrated 500 gr	3 years	4-8
SELENITE CYSTINE BROTH	1164 A	10 glass tubes	210 days	4-8
SELENITE CYSTINE BROTH	1164 B	10 glass tubes 20 ml	210 days	4-8
SELENITE CYSTINE BROTH	1864 A	20 polystyrene tubes	210 days	4-8
SELENITE CYSTINE BROTH	1264 A	4 bottles 100 ml	210 days	4-8
SELENITE CYSTINE BROTH	1264 A.4012	40 bottles 100 ml	210 days	4-8
SELENITE CYSTINE BROTH	6097	Dehydrated 500 gr	3 years	4-8
SERUM TELLURITE	1085	20 plates 90 mm	180 days	4-8
SF BROTH	1165	10 glass tubes	270 days	8-25
SF BROTH	1865	20 polystyrene tubes	270 days	8-25
SIMMONS CITRATE AGAR	6725	Dehydrated 500 gr	3 years	8-25
SKIM MILK AGAR ISO 6610	20180	20 plates 90 mm	240 days	4-8
SKIM MILK AGAR ISO 6610	20197	10 glass tubes 15 ml	240 days	4-8
SKIM MILK AGAR ISO 6610	6626	Dehydrated 500 gr	3 years	8-25
SMSA	3006	20 plates 90 mm	180 days	4-8
SOB BROTH	6700	Dehydrated 500 gr	3 years	8-25
SOC BROTH	20096	4 bottles 100 ml	270 days	4-8
SODIUM ACETATE AGAR	6727	Dehydrated 500 gr	3 years	8-25
SOY LECITHIN	6325	Dehydrated 1000 gr	3 years	4-8
SPS	1044	20 plates 90 mm	150 days	4-8
SPS	2244	40 plates 60 mm	150 days	4-8
SPS	20375	10 glass tubes 15 ml	150 days	4-8
SPS	1144	10 glass tubes 22 ml	150 days	4-8
SPS	1244	4 bottles 100 ml	150 days	4-8
SPS	6094	Dehydrated 500 gr	3 years	4-8
SSDC ISO 10273	20810	20 plates 90 mm	210 days	8-25
SSDC ISO 10273	6852	Dehydrated 500 gr	3 years	8-25
SS SALMONELLA - SHIGELLA AGAR	1020	20 plates 90 mm	210 days	8-25
SS SALMONELLA - SHIGELLA AGAR	1220	4 bottles 100 ml	210 days	8-25
SS SALMONELLA - SHIGELLA AGAR	6087	Dehydrated 500 gr	3 years	8-25
STERILE DEIONIZED WATER	20784	10 glass tubes 5 ml	365 days	8-25
STERILE DEIONIZED WATER	20278	4 bottles 100 ml	365 days	8-25
STERILE DEIONIZED WATER	20888	4 bottles 400 ml	365 days	8-25
STERILE DEIONIZED WATER	20930	4 bottles 1000 ml	365 days	8-25
STERILE DEIONIZED WATER	20941	4 bottles 1000 ml TP	365 days	8-25
STERILE DEIONIZED WATER	20942	4 bottles 500 ml TP	365 days	8-25
STERILE DEIONIZED WATER	20934	2 bags 3 lt	365 days	8-25
SUCROSE	6437	500 gr	3 years	8-25
TAYLORELLA EQUIGENITALIS AGAR BASE	6732	Dehydrated 500 gr	3 years	8-25
TCBS	1043	20 plates 90 mm	180 days	4-8
TCBS	6098	Dehydrated 500 gr	3 years	8-25
TERGITOL 7	2249	40 plates 60 mm	180 days	4-8
TCBS	4049	40 contact 55 mm	180 days	4-8
TERGITOL 7 + TTC (ISO 9308)	2249 A	40 plates 60 mm	180 days	4-8
TERGITOL 7 + TTC (ISO 9308)	4049 A	40 contact 55 mm	180 days	4-8

TERGITOL 7 + TTC (ISO 9308)	20142 20 plates 90 mm	180 days	4-8
TERGITOL 7 AGAR BASE (ISO 9308)	6218 Dehydrated 500 gr	3 years	8-25
TERGITOL 7 AGAR BASE (ISO 9308) – REQUIRED SUPPLEMENT	6509 10 vials x 500 ml / TTC SUPPLEMENT	3 years	4-8
THAYER MARTIN MODIFIED	1031 20 plates 90 mm	180 days	4-8
THIOGLYCOLLATE BROTH (NIH-USP)	6216 Dehydrated 500 gr	3 years	8-25
THIOGLYCOLLATE FLUID USP	1167 10 glass tubes	180 days	8-25
THIOGLYCOLLATE FLUID USP	20066 10 glass tubes 15 ml	180 days	8-25
THIOGLYCOLLATE FLUID USP	1167,5 50 glass tubes	180 days	8-25
THIOGLYCOLLATE FLUID USP	20066,5 50 glass tubes 15 ml	180 days	8-25
THIOGLYCOLLATE FLUID USP	1867 20 polystyrene tubes	180 days	8-25
THIOGLYCOLLATE FLUID USP	1267 4 bottles 100 ml	180 days	8-25
THIOGLYCOLLATE FLUID USP	126 4 bottles 100 ml TP	180 days	8-25
THIOGLYCOLLATE FLUID USP	6100 Dehydrated 500 gr	3 years	8-25
TODD HEWITT BROTH	1168 10 glass tubes	270 days	8-25
TODD HEWITT BROTH	1868 20 polystyrene tubes	270 days	8-25
TODD HEWITT BROTH	6102 Dehydrated 500 gr	3 years	8-25
TRICHOMONAS SELECTIVE	1173 10 glass tubes 5 ml	150 days	4-8
TRICHOMONAS SELECTIVE	1873 20 polystyrene tubes 5 ml	150 days	4-8
TRIPLE SUGAR IRON AGAR (TSI) (EP)	1138 10 glass tubes slant	210 days	4-8
TRIPLE SUGAR IRON AGAR (TSI) (EP)	1838 20 polystyrene tubes slant	210 days	4-8
TRIPLE SUGAR IRON AGAR (TSI) (EP)	6103 Dehydrated 500 gr	3 years	8-25
TRIPLE SUGAR IRON AGAR (TSI) ISO 6579	20287 20 plates 90 mm	210 days	8-25
TRIPLE SUGAR IRON AGAR (TSI) ISO 6579	20724 10 glass tubes slant	210 days	8-25
TRIPLE SUGAR IRON AGAR (TSI) ISO 6579	6276 Dehydrated 500 gr	3 years	8-25
TRYPTOPHAN BROTH (ISO 9308 E 6579)	20140 20 polystyrene tubes 3 ml	180 days	8-25
TRYPTOPHAN BROTH (ISO 9308 E 6579)	20015 4 bottles 100 ml	180 days	8-25
TRYPTOPHAN BROTH (ISO 9308 E 6579)	20143 10 glass tubes 3 ml	180 days	8-25
TRYPTOPHAN BROTH (ISO 9308 E 6579)	20016 10 glass tubes 5 ml	180 days	8-25
TRYPTOPHAN BROTH (ISO 9308 E 6579)	6633 Dehydrated 500 gr	3 years	8-25
TRYPTONE	6416 Dehydrated 500 gr	3 years	8-25
TRYPTONE BILE AGAR (ISO 9308)	20146 20 plates 90 mm	270 days	8-25
TRYPTONE BILE AGAR (ISO 9308)	20490 40 plates 60 mm	270 days	8-25
TRYPTONE BILE AGAR (ISO 9308)	20561 4 bottles 100 ml	270 days	8-25
TRYPTONE BILE AGAR (ISO 9308)	6294 Dehydrated 500 gr	3 years	8-25
TRYPTONE SOY AGAR ISO 9308	20420 20 plates 90 mm	240 days	8-25
TRYPTONE SOY AGAR ISO 9308	20419 40 plates 60 mm	240 days	8-25
TRYPTONE SOY AGAR ISO 9308	6277 Dehydrated 500 gr	3 years	8-25
TRYPTOSE	6417 Dehydrated 500 gr	3 years	8-25
TRYPTOSE AGAR	1026 20 plates 90 mm	270 days	8-25
TRYPTOSE AGAR	1126 10 glass tubes slant	270 days	8-25
TRYPTOSE AGAR	1826 20 polystyrene tubes slant	270 days	8-25
TRYPTOSE AGAR	1226 4 bottles 100 ml	270 days	8-25
TRYPTOSE AGAR	6631 Dehydrated 500 gr	3 years	8-25
TRYPTOSE BROTH	1170 10 glass tubes	270 days	8-25
TRYPTOSE BROTH	1870 20 polystyrene tubes	270 days	8-25
TRYPTOSE BROTH	1270 4 bottles 100 ml	270 days	8-25
TRYPTOSE BROTH	6632 Dehydrated 500 gr	3 years	8-25
TSA (EP)	1025 20 plates 90 mm	240 days	8-25
TSA (EP)	2225 40 plates 60 mm	240 days	8-25
TSA (EP)	4025 40 contact 55 mm	240 days	8-25
TSA (EP)	2525 40 contact s/m	240 days	8-25
TSA (EP)	20244 20 contact 90 mm	240 days	8-25
TSA (EP)	1325 plates10 plates 150 mm	240 days	8-25
TSA (EP)	20425 10 glass tubes 15 ml	240 days	8-25
TSA (EP)	1125 10 glass tubes slant	240 days	8-25
TSA (EP)	1825 20 polystyrene tubes slant	240 days	8-25
TSA (EP)	1225 4 bottles 100 ml	240 days	8-25

TSA (EP)	20526	4 bottles 500 ml	240 days	8-25
TSA (EP)	20527	4 bottles 250 ml	240 days	8-25
TSA (EP)	20771	4 bottles 200 ml	240 days	8-25
TSA (EP)	6105	Dehydrated 500 gr	3 years	8-25
TSA + LECITHIN + TWEEN 80	20154	4 bottles 100 ml	210 days	4-8
TSA + LECITHIN + TWEEN 80	4025 A	40 contact 55 mm	210 days	4-8
TSA + LECITHIN + TWEEN 80	2525 A	40 contact s/m	210 days	4-8
TSA + LECITHIN + TWEEN 80	20155	4 bottles 400 ml	210 days	4-8
TSA + LECITHIN + TWEEN 80	20245	20 contact 90 mm	210 days	4-8
TSA + LECITHIN + TWEEN 80	20242	20 plates 90 mm	210 days	4-8
TSA + LECITHIN + TWEEN 80 + PENASI 20000 u.i./l	20275	40 contact 55 mm	90 days	4-8
TSA + LECITHIN + TWEEN 80 + SODIUM THIOSULPHATE + HISTIDINE	4025 B	40 contact 55 mm	210 days	4-8
TSA + PENASI 20000 u.i./l	20262	20 plates 90 mm	90 days	4-8
TSA + SHEEP BLOOD	1021	20 plates 90 mm	90 days	4-8
TSA + SHEEP BLOOD	1321	plates10 plates 150 mm	90 days	4-8
TSA + SHEEP BLOOD 5% (EP, USDA, FSIS MIG 8.07)	20230	20 plates 90 mm	90 days	4-8
TSA + TTC	21362	40 contact 55 mm	180 days	4-8
TSB (EP)	1269	4 bottles 100 ml	240 days	8-25
TSB (EP)	1269,4	40 bottles 100 ml	240 days	8-25
TSB (EP)	125	4 bottles 100 ml TP	240 days	8-25
TSB (EP)	1169	10 glass tubes	240 days	8-25
TSB (EP)	1169 A	10 glass tubes 15 ml	240 days	8-25
TSB (EP)	1169,5	50 glass tubes	240 days	8-25
TSB (EP)	1169 A.50	50 glass tubes 15 ml	240 days	8-25
TSB (EP)	20646	4 bottles 1000 ml	240 days	8-25
TSB (EP)	20948	4 bottles 1000 ml TP	240 days	8-25
TSB (EP)	20815	4 bottles 90 ml	240 days	8-25
TSB (EP)	20815,4	40 bottles 90 ml	240 days	8-25
TSB (EP)	20645	4 bottles 500 ml	240 days	8-25
TSB (EP)	20950	4 bottles 500 ml TP	240 days	8-25
TSB (EP)	6217	Dehydrated 500 gr	3 years	8-25
TSB MODIFIED (ISO 16654)	20549	10 glass tubes	90 days	4-8
TSB MODIFIED (ISO 16654)	20723	10 glass tubes 9 ml	90 days	4-8
TSB MODIFIED (ISO 16654)	20875	4 bottles 90 ml	90 days	4-8
TSB MODIFIED (ISO 16654)	20479	4 bottles 225 ml	90 days	4-8
TSB MODIFIED (ISO 16654)	20550	4 bottles 100 ml	90 days	4-8
TSB MODIFIED BROTH BASE (ISO 16654)	6651	Dehydrated 500 gr	3 years	8-25
TSB MODIFIED BROTH BASE (ISO 16654) – REQUIRED SUPPLEMENT	6526	10 vials x 500 ml / NOVOBIOCIN SUPPLEMENT TSB	3 years	4-8
TSB + PHENOL RED	1157 B.5011	50 glass tubes	210 days	8-25
TSB + PHENOL RED	1157 B	10 glass tubes	210 days	8-25
TSB + POLIMIXIN ISO 21871	20998	10 glass tubes	120 days	4-8
TSB + POLIMIXIN ISO 21871	20999	10 glass tubes 2X	120 days	4-8
TSC ISO 7937	20509	20 plates 90 mm	180 days	4-8
TSC ISO 7937	20666	40 plates 60 mm	180 days	4-8
TSC AGAR BASE ISO 7937	6646	Dehydrated 500 gr	3 years	8-25
TSC AGAR BASE ISO 7937	20171	10 glass tubes 20 ml	180 days	8-25
TSC AGAR BASE ISO 7937	20665	10 glass tubes 22 ml	180 days	8-25
TSC AGAR BASE ISO 7937	20743	4 bottles 200 ml	180 days	8-25
TSC AGAR BASE ISO 7937	20809	4 bottles 100 ml	180 days	8-25
TSC AGAR BASE ISO 7937 – REQUIRED SUPPLEMENT	6303	10 vials x 500 ml / CLOSTRIDIUM PERFRINGENS SU	3 years	4-8
TSYEA (ISO 11290)	20011	20 plates 90 mm	240 days	8-25
TSYEA (ISO 11290)	20012	4 bottles 250 ml	240 days	8-25
TSYEA (ISO 11290)	20017	4 bottles 100 ml	240 days	8-25
TSYEA (ISO 11290)	20655	10 glass tubes 22 ml	240 days	8-25
TSYEA (ISO 11290)	6629	Dehydrated 500 gr	3 years	8-25
TSYEB (ISO 11290)	20205	10 glass tubes	240 days	8-25
TSYEB (ISO 11290)	20455	4 bottles 100 ml	240 days	8-25

TSYEB (ISO 11290)	6630	Dehydrated 500 gr	3 years	8-25
TT HAJNA (USDA-FSIS)	1103	10 glass tubes	90 days	4-8
UREA AGAR (ISO 6579)	1133	10 glass tubes slant	210 days	8-25
UREA AGAR (ISO 6579)	1833	20 polystyrene tubes slant	210 days	8-25
UREA AGAR (ISO 6579)	20682	40 plates 60 mm	210 days	8-25
UREA AGAR BASE (ISO 6579)	6222	Dehydrated 500 gr	3 years	8-25
UREA AGAR BASE (ISO 6579) – REQUIRED SUPPLEMENT	6530	1 x 100 ml / UREA 40% STERILE SOLUTION	210 days	4-8
UREA BROTH BASE	6223	Dehydrated 500 gr	3 years	8-25
UREA BROTH BASE – REQUIRED SUPPLEMENT	6530	1 X 100 ml / UREA 40% STERILE SOLUTION	210 days	4-8
VIOLET RED BILE GLUCOSE (VRBG) ISO 21528	1076 B	20 plates 90 mm	210 days	8-25
VIOLET RED BILE GLUCOSE (VRBG) ISO 21528	4076 B	40 contact 55 mm	210 days	8-25
VIOLET RED BILE GLUCOSE (VRBG) ISO 21528	20424	10 glass tubes 15 ml	210 days	8-25
VIOLET RED BILE GLUCOSE (VRBG) ISO 21528	1276 B	4 bottles 100 ml	210 days	8-25
VIOLET RED BILE GLUCOSE (VRBG) ISO 21528	20449	4 bottles 200 ml	210 days	8-25
VIOLET RED BILE GLUCOSE (VRBG) ISO 21528	20448	4 bottles 500 ml	210 days	8-25
VIOLET RED BILE GLUCOSE (VRBG) ISO 21528	6111	Dehydrated 500 gr	3 years	8-25
VIOLET RED BILE GLUCOSE + LEC + TWEEN 80 + HISTIDINE + SODIUM THIOSULPHATE	21319	40 contact 55 mm	180 days	4-8
VIOLET RED BILE LACTOSE AGAR + MUG	20383	20 plates 90 mm	90 days	4-8
VIOLET RED BILE LACTOSE AGAR + MUG	6684	Dehydrated 500 gr	2 years	4-8
VIOLET RED BILE LACTOSE (VRBL) ISO 4831	1076	20 plates 90 mm	210 days	8-25
VIOLET RED BILE LACTOSE (VRBL) ISO 4831	2276	40 plates 60 mm	210 days	8-25
VIOLET RED BILE LACTOSE (VRBL) ISO 4831	4076	40 contact 55mm	210 days	8-25
VIOLET RED BILE LACTOSE (VRBL) ISO 4831	1176	10 glass tubes 15 ml	210 days	8-25
VIOLET RED BILE LACTOSE (VRBL) ISO 4831	1276	4 bottles 100 ml	210 days	8-25
VIOLET RED BILE LACTOSE (VRBL) ISO 4831	20819	4 bottles 200 ml	210 days	8-25
VIOLET RED BILE LACTOSE (VRBL) ISO 4831	6110	Dehydrated 500 gr	3 years	8-25
VIOLET RED BILE LACTOSE + LEC + TWEEN 80	20122	40 contact 55 mm	210 days	4-8
VIOLET RED BILE LACTOSE GLUCOSE (VRBLG) (EP)	2	20 plates 90 mm	210 days	8-25
WL NUTRIENT	21344	20 plates 90 mm	180 days	4-8
WL NUTRIENT	20417	40 plates 60 mm	180 days	4-8
WL NUTRIENT	6683	Dehydrated 500 gr	3 years	4-8
WL NUTRIENT + CICLOEXIMIDE	6867	Dehydrated 500 gr	3 years	4-8
WL NUTRIENT DIFFERENTIAL ISO 10718	21345	20 plates 90 mm	180 days	4-8
WL NUTRIENT DIFFERENTIAL ISO 10718	20752	40 plates 60 mm	180 days	4-8
WL NUTRIENT DIFFERENTIAL ISO 10718	20855	4 bottles 100 ml	180 days	4-8
WL NUTRIENT DIFFERENTIAL ISO 10718	6390	Dehydrated 500 gr	3 years	4-8
WORT AGAR	20439	20 plates 90 mm	180 days	8-25
WORT AGAR	6225	Dehydrated 500 gr	3 years	8-25
XLD (EP)	1027	20 plates 90 mm	180 days	8-25
XLD (EP)	1227	4 bottles 100 ml	180 days	8-25
XLD (ISO 6579)	1027 A	20 plates 90 mm	180 days	8-25
XLD (ISO 6579)	1227 A	4 bottles 100 ml	180 days	8-25
XLD (ISO 6579)	20277	10 plates 150 mm	180 days	8-25
XLT4	1039 A	20 plates 90 mm	180 days	8-25
XYLOSE (D) BROTH ISO 11290	20209	10 tubes 10 ml	180 days	8-25
YEAST EXTRACT	6418	Dehydrated 500 gr	3 years	8-25
YEAST EXTRACT AGAR (ISO 6222)	20141	20 plates 90 mm	270 days	8-25
YEAST EXTRACT AGAR (ISO 6222)	20024	4 bottles 100 ml	270 days	8-25
YEAST EXTRACT AGAR (ISO 6222)	20614	4 bottles 250 ml	270 days	8-25
YEAST EXTRACT AGAR (ISO 6222)	20675	4 bottles 500 ml	270 days	8-25
YEAST EXTRACT AGAR (ISO 6222)	6117	Dehydrated 500 gr	3 years	8-25
YEAST EXTRACT GLUCOSE CHLORAMPHENICOL AGAR (YGC) (ISO 7954)	20380	20 plates 90 mm	180 days	4-8
YEAST EXTRACT GLUCOSE CHLORAMPHENICOL AGAR (YGC) (ISO 7954)	20161	4 bottles 100 ml	180 days	4-8
YEAST EXTRACT GLUCOSE CHLORAMPHENICOL AGAR (YGC) (ISO 7954)	6291	Dehydrated 500 gr	3 years	8-25
YEAST NITROGEN BASE WITHOUT AMMONIUM SULFATE	6250	Dehydrated 500 gr	3 years	8-25
YERSINIA SELECTIVE	1028	20 plates 90 mm	210 days	4-8
YERSINIA AGAR BASE	6636	Dehydrated 500 gr	3 years	8-25

YERSINIA AGAR BASE – REQUIRED SUPPLEMENT	6399	5 + 5 fiale x 500 ml / YERSINIA SELECTIVE SUPPLEN	2 years	4-8
YERSINIA ITC BROTH ISO 10273	20270	10 glass tubes 10 ml	180 days	4-8
YERSINIA ITC BROTH ISO 10273	20776	10 glass tubes 9 ml	180 days	4-8
YERSINIA ITC BROTH ISO 10273	20878	4 bottles 90 ml	180 days	4-8
YERSINIA ITC BROTH BASE ISO 10273	6715	Dehydrated 500 gr	3 years	8-25
YERSINIA ITC BROTH BASE ISO 10273 – REQUIRED SUPPLEMENT	6394	5 + 5 vials x 500 ml / ITC SUPPLEMENT	2 years	4-8
YERSINIA PBS BROTH ISO 10273	20879	10 glass tubes 9 ml	180 days	8-25
YERSINIA PBS BROTH ISO 10273	20775	4 bottles 90 ml	180 days	8-25
YERSINIA PBS BROTH ISO 10273	6716	Dehydrated 500 gr	3 years	8-25
YPD BROTH	6664	Dehydrated 500 gr	3 years	8-25
PIASTRE TRIPLO INVOLUCRO GAMMA IRRADIATE				
PLATE COUNT AGAR (PCA) (APHA) ISO 4833:2003	4447	40 contact 55 mm	240 days	8-25
PLATE COUNT AGAR (PCA) (APHA) ISO 4833:2003	20254	20 contact 90 mm	240 days	8-25
PCA + TWEEN 80 + LECITHIN	4411	40 contact 55 mm	240 days	4-8
PCA + TWEEN 80 + LECITHIN	20255	20 contact 90 mm	240 days	4-8
SABOURAUD DEXTROSE	4417	40 contact 55 mm	210 days	8-25
SABOURAUD DEXTROSE	20801	20 plates 90 mm	210 days	8-25
SABOURAUD DEXTROSE	4407	20 plates 90 mm 25 ml	210 days	8-25
SABOURAUD DEXTROSE	20252	20 contact 90 mm	210 days	8-25
SAB + CAF 50	4418 A	40 contact 55 mm	180 days	4-8
SAB + LECITHIN + TWEEN 80	4418	40 contact 55 mm	180 days	4-8
SAB + LECITHIN + TWEEN 80	20253	20 contact 90 mm	180 days	4-8
SAB + CAF50 + LECITHIN + TWEEN 80	4418 B	40 contact 55 mm	180 days	4-8
TSA (EP)	4425	40 contact 55 mm	240 days	8-25
TSA (EP)	4401	20 plates 90 mm 25 ml	240 days	8-25
TSA (EP)	20152	20 plates 90 mm	240 days	8-25
TSA + LECITHIN + TWEEN 80	4425 A	40 contact 55 mm	210 days	4-8
TSA + LECITHIN + TWEEN 80	4403	20 plates 90 mm 25 ml	210 days	4-8
TSA + LECITHIN + TWEEN 80 + PENASI 20,000 u.i./l	20072	40 contact 55 mm	90 days	4-8
TSA + LECITHIN + TWEEN 80 + SODIUM THIOSULFATE + HISTIDINE	4425 B	40 contact 55 mm	210 days	4-8
PIASTRE DUE SETTORI				
CLED / MAC CONKEY	4203	20 plates	240 days	4-8
DERMATOPHYTES / SABOURAUD	4294	20 plates	180 days	4-8
HEKTOEN / SS	4208	20 plates	210 days	8-25
SS / MAC CONKEY	4220	20 plates	210 days	8-25
PIASTRE TRE SETTORI				
FUNGISCREEN	4304	20 plates	180 days	4-8
MAC CONKEY / MANNITOL SALT / SABOURAUD	4306	20 plates	180 days	4-8
MAC CONKEY / SS / HEKTOEN	4305	20 plates	180 days	4-8
SABOURAUD / MANNITOL SALT / DESOXYCHOLATE	4301	20 plates	180 days	4-8
BLOOD AND DERIVATES				
BLOOD, HORSE DEBRIFINATED STERILE	1501	25 ml	30 days	2-8
BLOOD, HORSE DEBRIFINATED STERILE	1451	50 ml	30 days	2-8
BLOOD, HORSE DEBRIFINATED STERILE	1452	100 ml	30 days	2-8
BLOOD, HORSE DEBRIFINATED STERILE	1453	250 ml	30 days	2-8
BLOOD, HORSE DEBRIFINATED STERILE	1454	500 ml	30 days	2-8
BLOOD, LISATE HORSE DEBRIFINATED STERILE	1481	50 ml	365 days	2-8
BLOOD, LISATE HORSE DEBRIFINATED STERILE	1482	100 ml	365 days	2-8
BLOOD, SHEEP DEBRIFINATED STERILE	1405	25 ml	30 days	2-8

BLOOD, SHEEP DEBRIFINATED STERILE	1401 50 ml	30 days	2-8
BLOOD, SHEEP DEBRIFINATED STERILE	1402 100 ml	30 days	2-8
BLOOD, SHEEP DEBRIFINATED STERILE	1403 250 ml	30 days	2-8
BLOOD, SHEEP DEBRIFINATED STERILE	1404 500 ml	30 days	2-8
BLOOD, SHEEP DEBRIFINATED STERILE	1406 1000 ml	30 days	2-8
BLOOD , SHEEP DEFRIFINATED STERILE, IN ALSEVER	1421 50 ml	30 days	2-8
HORSE SERUM	1491 50 ml	365 days	2-8
HORSE SERUM	1497 100 ml	365 days	2-8
HORSE SERUM	1496 500 ml	365 days	2-8